

Water Hoses & Facilities Supplies Catalog

Page(s)

- **Hose Reel Carts**2,4
- **1" or 3/4" Hoses**2
- **Nozzles**3
- **Quick Coupler Valve, Key, & Swivel**3
- **Sprinklers**3
- **Traveling Sprinklers**4



ENDURO HOSE REEL

Transport, store, and operate your heavy water hoses with ease. Large 16" wheels transport well over rough turf, ruts, curbs, etc. Hose reel holds up to 150' of 1" diameter hose. Includes large front crank handle for retrieving hose after use. Includes 6' long supply hose with 1" hose fitting.

ENDURO HOSE REEL

Includes 6' supply hose. Does not include 100' Water Hose and Pro Spray Nozzle.

13434 (Wt. 65 lbs.) **\$425**


Will also hold 200' of 3/4" hose, but requires 1" female reducer to 3/4" male

01907 1" female reducer to 3/4" male **\$13.50**

DELUXE ENDURO HOSE REEL

Includes 6' supply hose, 1" x100' Red Water Hose (#11474) and Pro Spray Nozzle.

35559 (Wt. 105 lbs.) **\$525**



1" BALL PARK/MUNICIPAL HOSES

(HOSE ONLY—NOZZLE SOLD SEPARATELY)

Finally a high pressure, lightweight hose that is flexible. Lighter weight than the **Premium Clear Stadium Hose** and 25% more flexible. With a 600 lb. burst strength and abrasion resistant cover, this hose will outperform all others. Includes solid brass 1" couplers and stainless steel bands. 1" Hose requires 1" hose bib.

200101075 1" x 75' Long, Wt. 30 lbs. **\$235**

200101100 1" x 100' Long, Wt. 23 lbs. **\$295**

1237108 Aluminum Spray Nozzle, Fits 1" Hose **\$95**

02597 Hot Shot™ Pro Nozzle **\$69.95**



1" CLEAR STADIUM HOSE

High pressure, clear PVC hose with woven polyester cord reinforcement with solid brass couplings and stainless steel bands. Durable yet lightweight for easy handling. 150 PSI working pressure, 450 PSI burst strength. Requires 1" hose bib.

13011 (1" x 50', Wt. 17 lbs.) **\$110**

13012 (1" x 75', Wt. 25 lbs.) **\$155**

13013 (1" x 100', Wt. 34 lbs.) **\$195**

13014 (1" x 150', Wt. 51 lbs.) **\$285**

~~**1" OR 3/4" RED RUBBER HOSE**~~

~~Heavy-duty, high visibility, red rubber hose with solid brass couplings and stainless steel bands. 200 PSI working pressure and 600 PSI burst strength. Dual layer construction with woven poly cord reinforcement. 1" hose requires 1" hose bib.~~

~~**11470** (1" x 50', Wt. 25 lbs.) **\$125**~~

~~**11472** (1" x 75', Wt. 36 lbs.) **\$195**~~

~~**11474** (1" x 100', Wt. 45 lbs.) **\$135**~~

~~**11476** (1" x 150', Wt. 70 lbs.) **\$185**~~

~~**11460** (3/4" x 50', Wt. 18 lbs.) **\$235**~~

~~**11464** (3/4" x 100', Wt. 36 lbs.) **\$325**~~



DISCONTINUED

ALL PRICES SUBJECT TO CHANGE & AVAILABILITY

SPRAY FLOW NOZZLES



“HOT SHOT” PRO NOZZLE

Considered by the pros to be one of the best nozzles available. Super heavy-duty construction features aircraft aluminum with high impact composite components. Fully adjustable flow control from a strong jet stream to a mist. Quick on/off. Fits 1" hose only. 35 gallons per minute flow.

02597 (Wt. 1 lb.)

\$69.95



MAGNUM™ NOZZLE

The **Magnum™** contains no plastic internal parts to break or wear out. Unique ratchet mechanism easily adjusts from gentle fan to powerful jet stream and prevents over-tightening damage. Precision-machined, incredibly smooth operation and outstanding distribution patterns make it ideal for high-demand areas like sports fields. 37 GPM at 80 PSI

04182K 1" Hose, 1 lb.

\$55

04182 3/4" Hose, 1 lb.

\$55



HIGH-IMPACT FIRE NOZZLE

The high-impact, thermoplastic construction resists corrosion. Features a rubber bumper guard to protect the housing and brass diffusers allow adjustment from a light mist to a powerful jet stream. 22 gallons per minute flow.

01738 1" Hose, 3 lbs.

\$25

01739 3/4" Hose, 1 lb.

\$25



CYCLONE™ PRECISION NOZZLE

The fixed flow rate **Cyclone™** can put down a tremendous amount of water in a short period of time. Features a simple solid brass on/off valve that goes from soak to jet. The **Cyclone™** tip features the highest flow rate we offer, 50 plus GPM at 80 PSI. The optional Rainbow tip is designed for a controlled, light watering, and produces 15 GPM at 80 PSI.



04183 Cyclone™ Nozzle Complete

\$55

Includes the on / off valve, 50 GPM nozzle tip and adaptors to fit 3/4" & 1" hose. 1 lb.

04183-A Rainbow (Nozzle Tip Only)

\$22

15 GPM @ 80 PSI, 1 lb.

04183K Cyclone™ Combo Kit

\$72

Includes both nozzles tips, the on / off valve, and adaptors to fit 3/4" & 1" hose. 1 lb.

PROFESSIONAL GROUNDSKEEPER KIT

Great for the sidelines or behind the mound. Includes everything you need to conveniently water your infield. Permanently attach the quick coupler valve to a riser off your water line. Once installed, you will have easy access to water on the field. To turn the water on/off, simple insert key into the valve & turn. Kit includes a red high-impact fire nozzle, brass L-swivel, quick coupling valve, and quick coupling key.

02876K For 1" Hose, 4 lbs.

\$185

02877K For 3/4" Hose, 4 lbs.

\$125

QUICK COUPLER VALVE, KEY & SWIVEL –L

All brass & steel construction. The valve features a 1" inlet and a safety yellow, rubber lid. The single lug key is universally threaded: external 1" male threads for hose/swivel/sprinkler connection, and internally 3/4" female threaded for impact sprinklers. Swivel has 1" threading inlet & outlet.

03003 Quick Coupler Valve, 2 lbs.

\$93.95

1376453 3/4" Key Handle, 2 lbs.

\$30.95

1376459 1" Key Handle, 2 lbs.

\$57.95

1376456 3/4" Swivel-L, 3 lbs.

\$34.95

1376460 1" Swivel-L, 3 lbs.

\$39.95



BRASS IMPACT SPRINKLER HEAD

01611 3 lbs.

\$62.95

HOSE ADAPTORS

01009 3/4" F to 1" M, 2 lbs.

\$12.95


01907 1" F to 3/4" M, 1 lb.

\$12.95

WASHER for 1" female fittings (min. order 1 dz.)

01970

\$.65/ea.



ALL PRICES SUBJECT TO CHANGE & AVAILABILITY



LIBERTY TWO WHEEL HOSE CART

Perfect for Professional, Commercial Garden, and Landscaping needs. Keeps hose neat and ready to use.

Features include:

- Holds up to 200' of 1" hose
- 7" inlet hose included
- Durable powder coat finish
- Low center of gravity to prevent tipping

05059 Wt. 55 lbs.

\$295

Please note: this unit is equipped with 1" fittings to accommodate 1" institutional hose, reducers are required to attach standard 3/4" hose.

01907 1" female reducer to 3/4" male

\$13.50



(Hose sold separately)

CONTRACTOR GRADE WATER HOSE CART

Industrial strength, designed for the toughest abuse.

Features:

- Accommodate up to 150' of 1" diameter hose (3/4" hose can be used with purchase of thread adapters)
- Heavy gauge powder-coated steel with a 1" NPT female inlet and a 1" NPT male outlet
- Spring-loaded locking pin prevents rotation when not in use
- Adjustable tension break to control unwinding
- Brass female 90° swivel joint
- 1" plumbing throughout maintains full pressure

02543 Wt. 106 lbs.

\$765

Please note: cart does not include a feeder line to run from water sources to the cart. Use existing hose section or an optional 6' feeder line as shown.

01907 1" female reducer to 3/4" male

\$13.50

OPTIONAL 6' L x 1" DIA. FEEDER LINE

02544K Wt. 3 lbs.

\$35

BRASS IMPACT SPRINKLER HEAD

The Brass Impact Sprinkler Head keeps your fields irrigated at a budget-friendly price.

Features: solid brass construction, 3/4" male threading that fits our RollerPro(#04127) base, quick coupler key, full or part circle, 3/16" nozzle, adjustable diffuser pin, yields 43' radius at 30 PSI and 48' radius at 60 PSI.



01611 Wt. 3 lbs.

\$65

ROLLER-PRO PORTABLE SPRINKLER BASE

Designed for years of hard use, it's ideal for watering dry spots and newly seeded areas. Sprinkler & hose sold separately.

Features:

- weighted 22"W stainless steel roller provides a stable platform that prevents movement during use
- adaptors to work with 3/4" & 1" male impact sprinkler heads and 3/4" and 1" hose



04127 Wt. 55 lbs.

\$115

TRACKER IRRIGATION TRAVELER

Irrigate a football field in 2 passes!
Economically irrigates areas where the cost or difficulty of installing an underground system is too high.



Features:

- powered by a trouble-free water turbine that pulls the train across the field
 - variable speed control
 - can travel from 20' to 70' per hour to deliver from .15" to .79" of water per hour
 - covers 70' to 85' of spacing between travel lanes, and up to 400' in length
- To operate:
- simply attach up to 200' of 1" ID hose at the beginning of the irrigation run
 - stake down the 360' long steel cable at your desired length
 - set the adjustable speed control for your desired application rate
 - turn the water on
 - unit will shut down at the end of the irrigation run

04071 Wt. 71 lbs.

\$1,795

ALL PRICES SUBJECT TO CHANGE & AVAILABILITY