

**Custom Ball Netting**

Protective and boundary netting is used to protect players, spectators, scoreboards, buildings and other structures in and around the ball park. The netting is customized to fit your needs and is completely weather-treated. Netting is either finished with black reinforced vinyl edging or a sewn rope border for Plateena or Pylon. Polyethylene with reinforced vinyl edging only. Nylon with rope looped thru openings (not sewn). Vinyl edging available at additional charge on Nylon.

### REINFORCED VINYL EDGING

Provides the netting with added strength while keeping the nets shape. Reinforced double stitched vinyl also gives the net a sharp appearance. No extra charge for optional Brass Grommets every 18".



**ROPE BORDER**  
Simple, easy installation.




The best of the best in Professional Backstop Netting!  
Provides Maximum Protection with Maximum Viewing

#### #18 Twisted Knotted Plateena

**Professional backstop netting.** #18 Twisted, Knotted, UHMPE Ultra High Molecular Weight Polyethylene with a 462 lb. break strength; Trade Name: Plateena (similar netting trade names include Dyneema or Spectra). 1-3/4" square mesh. Treated for UV & weather resistance. Finished with a 7.0mm rope border with a 11,023 lbs. break strength.

26118 #18 Black, .05 lbs./sf  
462 lb break strength.

\$1.75/sf



Rigid, low stretch helping it sustain netting form.  
Solid Core! Don't be fooled by cheap hollow core

#### Braided Knotted Polyethylene

**Great for high impact backstop and protective screen netting.** 3.0mm, 1-3/4" square mesh. Extruded, solid core to resist weather and UV. Reinforced vinyl edging only. 4-year Warranty

26030 #48 3.0mm Black, .05 lbs./sf  
285 lb break strength.

70¢/sf



Most durable, unmatched weather  
and UV protection! Maximizing Longevity.

#### Premium Knotless Polypropylene-Pylon (High Tenacity)

**Great for high impact backstop and protective screen netting.** 1-3/4" square mesh. Extruded to resist weather and UV. Choose from Rope or Vinyl border.

22265 #48 3.5mm; Black Heavy .05 lbs./sf  
325 lb. break strength, 4-year Warranty

75¢/sf

22260 #36 3.0mm; Black Medium .04 lbs./sf  
250 lb. break strength, 3-year Warranty

62¢/sf



High break strength and tensile strength.

#### Twisted Knotted Nylon

**Great for high to medium impact backstop and protective screen netting.** 1-3/4" square mesh. UV and weather treated coating is applied to the exterior of the material. Extra charge for vinyl edging.

36099D #48: 459 lb. break strength .05 lbs./sf

76¢/sf

36099C #42: 424 lb. break strength .05 lbs./sf


66¢/sf

36099B #36: 352 lb. break strength .04 lbs./sf

52¢/sf

36099A #21: 253 lb. break strength .04 lbs./sf

46¢/sf



Lightweight, perfect for overhead applications.

#### #420 Knotless Polypropylene-Pylon

**Great for low impact barrier netting.** 1-3/4" Square mesh; choose from rope or vinyl border. UV and weather treated. Extruded to resist weather and UV.

22009 Black 125 lb break strength .03 lbs./sf

48¢/sf

22007 Green 125 lb break strength .03 lbs./sf

48¢/sf

#### 7/8" Square Golf Netting

26018 Black


57¢/sf

26019 Dark Green

57¢/sf

26018W White (Indoors Only)

57¢/sf



3.0 mm Knotless Polypropylene with Vinyl Edging



Twisted Knotted Nylon #36 with Rope border



#420 Knotless Pylon with Vinyl Edging

**ALL PRICES SUBJECT TO CHANGE & AVAILABILITY PLUS SHIPPING**

**MORE CUSTOM BALL & BARRIER NETTING**

We have netting for any application, including overhead backstops, separator protection, foul ball control, golf ranges, football goal post netting, soccer field barrier nets, even custom batting tunnels. Available in all levels of strength to fit your budget and needs. Our ball & barrier netting is constructed of weather-treated mesh for maximum resistance to the sun's UV rays. Please specify rope or vinyl border with grommets every 18" (every 12" add 1¢/sq. ft.). Custom nets are made to your specifications and cannot be returned. **All net dimensions are rounded up to the next foot for pricing.** Example: Net 9'-3" x 20'-8" is charged at 10' x 21' = 210 sq/ft. Note: due to setup costs, prices are based on a minimum of 500 sq. ft. per section, call for pricing on smaller pieces. Don't forget to check out our installation hardware for great savings!



**Knotted Black Nylon 1-3/4" Baseball/Softball Netting**

Our strongest & most durable nylon options.

#21, 210 lb. breaking test **#01582**

#36, 320 lb. breaking test **#01581**

#42, 380 lb. breaking test **#02788**

#60, 560 lb. breaking test **#02808**

48¢/sq. ft.

68¢/sq. ft.

74¢/sq. ft.

1.10¢/sq. ft.

**Knotted Black Polyethylene 1-3/4" Baseball/Softball Netting**

#21, 120 lb. breaking test (2mm) **#02489**

#36, 180 lb. breaking test (2.5mm) **#02490**

42¢/sq. ft.

48¢/sq. ft.

**1" Golf Netting**

#15 1" Knotted Black Nylon

130 lb. breaking test **#02853**

#420 7/8" Knotless Black Polypropylene

120 lb. breaking test, Rope Border **#26018R**

#420 7/8" Knotless Black Pylon

With edging & grommets **#26018**

#420 7/8" Knotless Green Pylon

With edging & grommets **#26019**

#420 7/8" Knotless White Pylon

With edging & grommets (indoors only) **#26018W**


60¢/sq. ft.

58¢/sq. ft.

58¢/sq. ft.

58¢/sq. ft.

58¢/sq. ft.



#36 NYLON



#420 PYLON

29¢/sq. ft.

38¢/sq. ft.

46¢/sq. ft.

**4" Knotted Black Nylon Football/Soccer Netting**


#18, 160 lb. breaking test **#01967**

**4" Knotted Black Nylon Football/Soccer Netting**

#420, 120 lb. breaking test **#25800**


#36, 250 lb. breaking test **#25803B**

(Also available in white and in black fire retardant)



Netting suspended over bleachers for spectator protection.

**BASEBALL SIZE  
1 3/4" MESH**



Backstop canopy netting utilizing backstop/sideline fencing.

ALL PRICES SUBJECT TO CHANGE & AVAILABILITY PLUS SHIPPING

**BALL NETTING INSTALLATION ACCESSORIES****Attachment C-Clips**

3" snap closes fully, so net won't come loose or fray

#32670 Black Plated Steel, each

#32675 Black Plastic, each

55¢  
40¢**Cable Clamps**

Secures cable to turnbuckles &amp; bolts

#34726 For 1/8" cable, each

#34725 For 1/4" cable, each

40¢  
53¢**Cable Ties, Packs of 100**

#31656 TR-50P 7" Black UV-Resistant Plastic Ties, 50 lb. break strength, 1 lbs./100

#31651 TR-50XL 12" Black UV-Resistant Plastic Ties, 50 lb. break strength, 1 lbs./100

#31657 TR-120P 8" Black UV-Resistant Plastic Ties, 120 lb. break strength, 1 lbs./100

#31655 TR-120XL 14" Black UV-Resistant Plastic Ties, 120 lb. break strength, 2 lbs./100

#01616 Heavy-Duty 12" Black UV-Resistant Plastic Ties, 175 lb. break strength, 2 lbs./100

\$10  
\$12.50  
\$15  
\$22.50  
\$25**Steel S-Hooks/100**

#01568 1" Steel, 1.2 lbs./100

#31663 3" Steel, 5. lbs./100

\$15  
\$40**Eye Bolt**

#34730 1/2" x 6" Long

\$8

**Nylon Cord & Poly Rope**

#1236743 #36 3mm Black Poly, 100' Roll

#1236750 #36 3mm Black Poly, 500' Roll

#31601M BLR 3/16" Black Braided Poly Rope, 550 lb. breaking strength, 1,000 Ft. Roll, 14 lbs.

\$12.50  
\$30.95  
\$45.95**Cable - 1/8" Diameter 7x7—Strand Galvanized Steel Aircraft**

Great for most netting installations. More pliable and easier to handle.

#15102 .1 lb./ft.

27¢

**Cable - 1/4" Diameter 7x19—Strand Zinc Coated Galvanized Steel Aircraft**

For large range netting installations

#02230 250' Coil, 32 lbs.

#34728 500' Coil, .15 lbs./FT

\$90  
\$160**Turnbuckles**

Takes the slack out of runs of cable. For cable runs longer than 60', use a turnbuckle on each end. Zinc plated.

#02232 Up to 3" uptake. Hook on one end, eye on other 1 lb.


#36986 Up to 6" uptake. Bolt &amp; Clamp on one end, eye on other, 1 lb.

#34724 Up to 12" uptake. Bolt &amp; Clamp on one end, eye on other, 3 lbs.

\$15  
\$20  
\$30

ALL PRICES SUBJECT TO CHANGE &amp; AVAILABILITY PLUS SHIPPING

**ATTACHMENT ACCESSORIES**




<b>#36000</b>	<b>8mm Carabiner</b>	<b>55¢ ea.</b>
<b>#32679</b>	<b>5mm Carabiner</b>	<b>35¢ ea.</b>
<b>#32675</b>	<b>Black Plastic C-Snap</b>	<b>40¢ ea.</b>
<b>#32670</b>	<b>Black Plated Steel C-Snap</b>	<b>55¢ ea.</b>

ALL PRICES SUBJECT TO CHANGE & AVAILABILITY PLUS SHIPPING

**BALL & BARRIER 1" GOLF NETTING** - Stock sizes. Call for pricing for custom sizes.**MEDIUM WEIGHT G3 BALL & BARRIER NETTING**

1" knitted polypropylene (will not unravel when cut) with reinforced edging. 75 lbs./esq. breaking strength, **6-Year** Manufacturer's Limited Warranty (working life expectancy 6-8years). Black only.

6.5' x 150' (975 sq. ft.)
10' x 150' (1,500 sq. ft.)
12.5 x 150' (1,875 sq. ft.)
15' x 150' (2,250 sq. ft.)
20' x 150' (3,000 sq. ft.)
25' x 100' (2,500 sq. ft.)
25' x 150' (3,750 sq. ft.)
30' x 150' (4,500 sq. ft.)
35' x 150' (5,250 sq. ft.)
40' x 150' (6,000 sq. ft.)
50' x 150' (7,500 sq. ft.)



G3

\$275	28.2¢/sq. ft.
\$335	22.3¢/sq. ft.
\$495	26.4¢/sq. ft.
\$595	26.4¢/sq. ft.
\$735	24.5¢/sq. ft.
\$615	24.6¢/sq. ft.
\$925	24.7¢/sq. ft.
\$1,095	24.3¢/sq. ft.
\$1,285	24.5¢/sq. ft.
\$1,475	24.6¢/sq. ft.
\$1,815	24.2¢/sq. ft.

**HEAVY WEIGHT GF86 RANGEGARD BALL & BARRIER NETTING** - Stock sizes. Call for pricing for custom sizes.

1" Knitted high-density, high-tenacity polyethylene (will not unravel when cut) with reinforced edging. 121 lbs./esq. breaking strength, **9-Year** Manufacturer's Full Warranty (working life expectancy is 12-22 yrs). If taking up and down: Available in custom sizes **with rope border** to attach to cables for taking up and down. Attach rope to cable with Caribbean Clips about every 1' on all four sides. For permanent installation: **Without rope border** attach 2x4's to poles over net to secure netting to poles. Use hog rings to clamp net to cable. Use one hog ring for every opening on top and one hog ring every other opening on the bottom.

Dark Green only.

6.5' x 150' (975 sq. ft.)
10' x 150' (1,500 sq. ft.)
12.5 x 150' (1,875 sq. ft.)
15' x 150' (2,250 sq. ft.)
20' x 150' (3,000 sq. ft.)
25' x 100' (2,500 sq. ft.)
25' x 150' (3,750 sq. ft.)
30' x 150' (4,500 sq. ft.)
35' x 150' (5,250 sq. ft.)
40' x 150' (6,000 sq. ft.)
50' x 150' (7,500 sq. ft.)



GF86 With Rope Attachment

\$345	35.4¢/sq. ft.
\$495	33¢/sq. ft.
\$615	32.8¢/sq. ft.
\$735	32.7¢/sq. ft.
\$925	30.8¢/sq. ft.
\$775	31¢/sq. ft.
\$1,155	30.8¢/sq. ft.
\$1,385	30.8¢/sq. ft.
\$1,615	30.8¢/sq. ft.
\$1,835	30.6¢/sq. ft.
\$2,295	30.6¢/sq. ft.

**INSTALLATION ACCESSORIES**

Rope Border (3/8" rope attached with #48 gauge twine)	\$1.89/Ft.
3" Caribbean Clip (For use only with removable netting with rope attachment)	62¢
3/16" GAC Galvanized Steel Cable, Per Foot (4,720 lb. breaking strength recommended for poles less than 25' apart)	29¢
1/4" GAC Galvanized Steel, Zinc Coated, Cable, Per Foot (7,150 lb. breaking strength recommended for poles 25' - 50' apart)	46¢
#AP22 Hog Ring Gun (closes to 3/8")	\$135
#AP88 Galvanized Hog Rings, 10,000 (For use W/O rope - clamps net to cable for permanent set-up)	\$120

ALL PRICES SUBJECT TO CHANGE & AVAILABILITY PLUS SHIPPING

**20' - 40' BALLSTOPPER SYSTEMS - Straight Posts**

- Semi-permanent design allows netting to be easily lowered in the event of high winds or when not in use.
- 1-1/2" sq. net stops all size sport balls, except golf balls
- Post dimensions range from 4"-8" diameter straight 20'-40' high out-of-ground aluminum uprights install into provided ground sleeves
- Pulley system to lower and raise nets (black standard - other colors available)
- Synthetic UV-treated netting has permanently attached vinyl-coated galvanized steel cable across top, which reduces "net sag"
- System heights range from standard 20' high - also available in 25', 30', 35' or 40'
- Mill finish standard on posts (custom powder-coating also available for an additional cost)
- Typically sold in 20' sections.

20' H x 20' Section

Other Sizes *(Please call for quote with length and height.)***\$65/LF****Call for Quote****20' - 40' BALLSTOPPER SYSTEMS - Offset Posts**

- Semi-permanent design allows netting to be easily lowered in the event of high winds or when not in use.
- 1-1/2" sq. net stops all size sport balls, except golf balls
- Pulley system to lower and raise nets
- Synthetic UV-treated netting has permanently attached coated galvanized steel cable across top, which reduces "net sag"
- Standard upright is 20' high - also available in 25', 30', 35' or 40' heights
- Uprights range from 4" to 8" in diameter and feature a 3' offset to be installed out of field of play
- Offset post design eliminates ball contact with the uprights, preventing deflection
- Installation requires ground sleeve
- Mill finish standard on posts (custom powder-coating also available for an additional cost)
- Typically sold in 20' sections.

20' H x 20' Section

Other Sizes *(Please call for quote with length and height.)***\$70/LF****Call for Quote****ALL PRICES SUBJECT TO CHANGE & AVAILABILITY PLUS SHIPPING**