

## Custom Ball Netting

Protective and boundary netting is used to protect players, spectators, scoreboards, buildings and other structures in and around the ball park. The netting is customized to fit your needs and is completely weather-treated. Netting is either finished with black reinforced vinyl edging or a rope border. Please call for additional information and pricing.

### REINFORCED VINYL EDGING

Provides the netting with added strength while keeping the nets shape. Reinforced double stitched vinyl also gives the net a sharp appearance. Optional Brass Grommets.



**ROPE BORDER**  
Simple, easy installation.



Most durable, unmatched weather and UV protection!  
Maximizing Longevity.

### Premium Knotless Polypropylene-Pylon (High Tenacity)

Great for high impact backstop and protective screen netting. 1-3/4" square mesh, reinforced in vinyl edging only. Extruded to resist weather and UV.

22265 #48 3.5mm; Black Heavy .05 lbs./sf 325 lb. break strength, 4-year Warranty	65¢/sf
22260 #36 3.0mm; Black Medium .04 lbs./sf 250 lb. break strength, 3-year Warranty	54¢/sf



Rigid, low stretch helping it sustain netting form.  
Solid Core! Don't be fooled by cheap hollow core netting.

### Braided Knotted Polyethylene

Great for high impact backstop and protective screen netting. 3.0mm, 1-3/4" square mesh, with reinforced vinyl edging only. Extruded, solid core to resist weather and UV. 4-year Warranty

26030 #48 3.0mm Black, .05 lbs./sf 285 lb break strength.	65¢/sf
--	--------



High break strength and tensile strength.

### Twisted Knotted Nylon

Great for high to medium impact backstop and protective screen netting. 1-3/4" square mesh, with a rope border. UV and weather treated coating is applied to the exterior of the material. Available in rope border only.

36099D #48; 459 lb. break strength .05 lbs./sf	75¢/sf
36099C #42; 424 lb. break strength .05 lbs./sf	56¢/sf
36099B #36; 352 lb. break strength .04 lbs./sf	44¢/sf
36099A #21; 253 lb. break strength .04 lbs./sf	39¢/sf



Lightweight, perfect for overhead applications.

### #420 Knotless Polypropylene -Pylon

Great for low impact barrier netting. 1-3/4" Square mesh; choose from rope or vinyl border. UV and weather treated.

22209 Black 125 lb break strength .03 lbs./sf	45¢/sf
22207 Green 125 lb break strength .03 lbs./sf	45¢/sf



Inexpensive.

### Lightweight Economy Barrier Netting

Used for low impact barrier netting. 1" black diamond mesh, with a reinforced salvaged edge only. No custom sizes available.

36003 25' x 100' Roll 75 lbs./roll 60 lb. break strength	\$245
36002 25' x 150' Roll 104 lbs./roll 60 lb. break strength	\$345



3.0 mm Knotless Polypropylene with Vinyl Edging



Twisted Knotted Nylon #36 with Rope border



#420 Knotless Pylon with Vinyl Edging

ALL PRICES SUBJECT TO CHANGE & AVAILABILITY

**MORE CUSTOM BALL & BARRIER NETTING**


We have netting for any application, including overhead backstops, separator protection, foul ball control, golf ranges, football goal post netting, soccer field barrier nets, even custom batting tunnels. Available in all levels of strength to fit your budget and needs. Our ball & barrier netting is constructed of weather-treated mesh with maximum resistance to the sun's UV rays. Our netting is not only coated, but is extruded from the beginning with UV protectants and weather treatments built-in to create the best weather resistance. Please specify rope or vinyl border with grommets every 18" (every 12" add 1¢/sq. ft.). Ask about optional rib lines and Plastinet coating to prolong the life of your netting up to 3 years. Custom nets are made to your specifications and cannot be returned. **All net dimensions are rounded up to the next foot for pricing.** Example: Net 9'-3" x 20'-8" is charged at 10' x 21' = 210 sq/ft. Note: due to setup costs, prices are based on a minimum of 500 sq. ft. per section, call for pricing on smaller pieces. Don't forget to check out our installation hardware for great savings!




**Knotless Black HTTP Pylon 1-3/4" Baseball/Softball Netting**

Stronger & more durable than nylon netting.

- #600 (3.5mm), 320 lbs. breaking test **#35552** 71¢/sq. ft.
- #504 (3.0mm), 275 lbs. breaking test **#35553** 62¢/sq. ft.
- #420 (2.4mm), 195 lbs. breaking test **#35554** 58¢/sq. ft.



3.5MM PYLON



3.0MM PYLON

**Knotted Black Nylon 1-3/4" Baseball/Softball Netting**

Our strongest & most durable nylon options.


- #21, 210 lb. breaking test **#01582** 42¢/sq. ft.
- #36, 320 lb. breaking test **#01581** 49¢/sq. ft.
- #42, 380 lb. breaking test **#02788** 65¢/sq. ft.
- #60, 560 lb. breaking test **#02808** 93¢/sq. ft.

**Knotted Black Polyethylene 1-3/4" Baseball/Softball Netting**


- #21, 120 lb. breaking test (2mm) **#02489** 35¢/sq. ft.
- #36, 180 lb. breaking test (2.5mm) **#02490** 40¢/sq. ft.

**1" Golf Netting**

- #15 1" Knotted Black Nylon 60¢/sq. ft.  
130 lb. breaking test **#02853**
- #420 7/8" Knotless Black Polypropylene 56¢/sq. ft.  
120 lb. breaking test
- #420 7/8" Knotless White Pylon (Indoor Only) 56¢/sq. ft.  
120 lb. breaking test




#36 NYLON



#420 PYLON


**Knotted Nylon 4" Football/Soccer Netting**

- #18, 160 lb. breaking test **#01967** 36¢/sq. ft.



Netting suspended over bleachers for spectator protection.

**BASEBALL SIZE  
1 3/4" MESH**



Backstop canopy netting utilizing backstop/sideline fencing.

ALL PRICES SUBJECT TO CHANGE & AVAILABILITY

**BALL NETTING INSTALLATION ACCESSORIES****Attachment C-Clips**

3" snap closes fully, so net won't come loose or fray

- #32670 Steel, each  
#32675 Plastic, each



48¢  
25¢

**Cable Clamps**

Secures cable to turnbuckles &amp; bolts

- #34726 For 1/8" cable, each  
#34725 For 1/4" cable, each



35¢  
35¢

**Cable Ties, Packs of 100**

- #31656 TR-50P 7" Black UV-Resistant Plastic Ties, 50 lb. break strength, 1 lbs./100  
#31651 TR-50XL 12" Black UV-Resistant Plastic Ties, 50 lb. break strength, 1 lbs./100  
#31657 TR-120P 8" Black UV-Resistant Plastic Ties, 120 lb. break strength, 1 lbs./100  
#31655 TR-120XL 14" Black UV-Resistant Plastic Ties, 120 lb. break strength, 2 lbs./100  
#01616 Heavy-Duty 12" Black UV-Resistant Plastic Ties, 175 lb. break strength, 2 lbs./100

\$10  
\$12.50  
\$15  
\$22.50  
\$25

**Steel S- Hooks/100**

- #01568 1" Steel, 1.2 lbs./100  
#31663 3" Steel, 5. lbs./100



\$15  
\$20

**Nylon Cord & Poly Rope**

- #1236743 #36 3mm Black Poly, 100' Roll  
#MTTWINEB #36 3mm Black Poly, 300' Roll  
#1236750 #36 3mm Black Poly, 500' Roll  
#31600 BNC 3/16" Black Nylon Lacing Cord, 550 lb. breaking strength, 600 Ft. Roll, 3 lbs.  
#31601M BLR 3/16" Black Braided Poly Rope, 550 lb. breaking strength, 1,000 Ft. Roll, 14 lbs.  
#12204 1/4" Black Poly Rope, 100' Roll  
#12648 3/8" Black Poly Rope, 100 Ft. Roll

\$10.50  
\$17.50  
\$29.95  
\$50.95  
\$45.95  
\$24.50  
\$29.95

**Cable - 1/8" Diameter 7x7—Strand Galvanized Steel Aircraft**

Great for most netting installations. More pliable and easier to handle.

- #02262 250' Coil, 10 lbs.  
#02263 500' Coil, 17 lbs.

\$44.50  
\$89

**Cable - 1/4" Diameter 7x19—Strand Zinc Coated Galvanized Steel Aircraft**

For large range netting installations

- #02230 250' Coil, 32 lbs.  
#02231 500' Coil, 58 lbs.

\$69  
\$138

**Turnbuckles**

Takes the slack out of runs of cable. For cable runs longer than 60', use a turnbuckle on each end. Zinc plated. Hook on one end and eye on the other.

- #02232 6-1/2" Long with approx. 3" of uptake for 1/8" cable, 1 lb.  
#02233 10-1/2" Long with approx. 6" of uptake for 1/4" cable, 1 lb.


\$5  
\$10

ALL PRICES SUBJECT TO CHANGE &amp; AVAILABILITY

**BALL & BARRIER 1" GOLF NETTING** - Stock sizes. Call for pricing for custom sizes.**MEDIUM WEIGHT GF34 BALL & BARRIER NETTING**

1" knitted polypropylene (will not unravel when cut) with reinforced edging. 75 lbs./esq. breaking strength, **6-Year** Manufacturer's Limited Warranty (working life expectancy 6-8years). Black only.

6.5' x 150' (975 sq. ft.)
10' x 150' (1,500 sq. ft.)
12.5 x 150' (1,875 sq. ft.)
15' x 150' (2,250 sq. ft.)
20' x 150' (3,000 sq. ft.)
25' x 100' (2,500 sq. ft.)
25' x 150' (3,750 sq. ft.)
30' x 150' (4,500 sq. ft.)
35' x 150' (5,250 sq. ft.)
40' x 150' (6,000 sq. ft.)
50' x 150' (7,500 sq. ft.)



GF34


\$199	20.4¢/sq. ft.
\$299	19.9¢/sq. ft.
\$375	20¢/sq. ft.
\$399	17.7¢/sq. ft.
\$540	18¢/sq. ft.
\$450	18¢/sq. ft.
\$675	18¢/sq. ft.
\$800	17.7¢/sq. ft.
\$950	18¢/sq. ft.
\$1,075	17.9¢/sq. ft.
\$1,350	18¢/sq. ft.

**HEAVY WEIGHT GF94 RANGEGARD BALL & BARRIER NETTING** - Stock sizes. Call for pricing for custom sizes.

1" Knitted high-density, high-tenacity polyethylene (will not unravel when cut) with reinforced edging. 121 lbs./esq. breaking strength, **9-Year** Manufacturer's Full Warranty (working life expectancy is 12-22 yrs). If taking up and down: Available in custom sizes **with rope border** to attach to cables for taking up and down. Attach rope to cable with Caribbean Clips about every 1' on all four sides. For permanent installation: **Without rope border** attach 2x4's to poles over net to secure netting to poles. Use hog rings to clamp net to cable. Use one hog ring for every opening on top and one hog ring every other opening on the bottom.

Dark Green only.

6.5' x 150' (975 sq. ft.)
10' x 150' (1,500 sq. ft.)
12.5 x 150' (1,875 sq. ft.)
15' x 150' (2,250 sq. ft.)
20' x 150' (3,000 sq. ft.)
25' x 100' (2,500 sq. ft.)
25' x 150' (3,750 sq. ft.)
30' x 150' (4,500 sq. ft.)
35' x 150' (5,250 sq. ft.)
40' x 150' (6,000 sq. ft.)
50' x 150' (7,500 sq. ft.)



GF94 With Rope Attachment


\$235	24.1¢/sq. ft.
\$355	23.6¢/sq. ft.
\$450	24¢/sq. ft.
\$535	23.7¢/sq. ft.
\$715	23.8¢/sq. ft.
\$535	21.4¢/sq. ft.
\$800	21.3¢/sq. ft.
\$965	21.4¢/sq. ft.
\$1,125	21.4¢/sq. ft.
\$1,250	20.8¢/sq. ft.
\$1,600	21.3¢/sq. ft.

**INSTALLATION ACCESSORIES**

Rope Border (3/8" rope attached with #48 gauge twine)	\$1.56/Ft.
3" Caribbean Clip (For use only with removable netting with rope attachment)	55¢
3/16" GAC Galvanized Steel Cable, Per Foot (4,720 lb. breaking strength recommended for poles less than 25' apart)	45¢
1/4" GAC Galvanized Steel, Zinc Coated, Cable, Per Foot (7,150 lb. breaking strength recommended for poles 25' - 50' apart)	50¢
#AP22 Hog Ring Gun (closes to 3/8")	\$135
#AP88 Galvanized Hog Rings, 10,000 (For use W/O rope - clamps net to cable for permanent set-up)	\$130

ALL PRICES SUBJECT TO CHANGE & AVAILABILITY

**ATTACHMENT ACCESSORIES**



ALL PRICES SUBJECT TO CHANGE & AVAILABILITY