


HORSESHOE & QUOIT PIT CLAYS



BEAM CLAY® HORSESHOE PIT CLAY, F.O.B. GREAT MEADOWS, NJ

50 lb. bags - up to 50/pallet.

Red - Extra Firm

Orange - Extra Firm

Brown - Extra Firm

Orange - Medium Firm

Grey - Medium Firm "Blue Gumbo"

Tan - Medium Firm

Orange - Firm Yet Soft (*Easier to maintain, recommended for recreational & residential use*)

BULK PER TON	50 LB. BAGS
\$125.00	\$9.50
\$115.00	\$8.50
\$115.00	\$8.50
\$115.00	\$8.50
\$105.00	\$6.50
\$105.00	\$6.50
\$75.00	\$5.95

PRO MOUND® CLAY Extra Firm, Moist & Chunky Dark Grey, 50 lb. bags - full pallets of 40 only from CA, IL, MS,
up to 40 bags/pallet from NJ.

Extra Firm "Blue Gumbo"

F.O.B., MS or IL

\$225.00

\$11.55

Extra Firm "Blue Gumbo"

F.O.B., NJ or CA

—

\$14.45

CALIFORNIA PRO GOLD™ CLAY

Extra Firm Reddish-Brown, F.O.B., CA, 50 lb. bags - up to 40 /pallet.

—

\$10.50

DIAMOND PRO® 50 lb. bags - full pallets of 40 only.

CLAY (Medium Firm, Reddish Brown)

F.O.B., Ft. Worth, TX

—

\$9.45

PROFESSIONAL CLAY (Extra Firm, Tan)

F.O.B., Ft. Worth, TX

—

\$10.10

MAR MOUND™ CLAY Medium Firm Red, 50 lb. bags - full pallets of 40 only. (F.O.B., TN)

MAR MOUND™ CLAY

—

\$8.25

ALL PRICES SUBJECT TO CHANGE & AVAILABILITY

RECOMMENDATIONS FOR CONSTRUCTING BEAM CLAY® HORSESHOE PITCHING BOXES

1. Make frame of 2 x 8's.
2. Place entire frame on 3-4" drainage bed of uniform sand, or 3/4" minus stone (with fines) covered with a 1/2" layer of uniform sand. Drainage bed should be larger than frame by at least one foot all around.
IMPORTANT - Install drainage bed first with frame on top.
3. Apply 8" of **Beam Clay®** Horseshoe Pit Clay, 2" at a time, wetting and compacting each layer.
4. Two (6' x 6') boxes 8" deep require 2-1/2 tons (or 100 bags) of **Beam Clay®** Horseshoe Pit Clay. Two (3' x 4') boxes require 1,650 lbs. (or 33 bags).
5. For serious play, we recommend the **Red, Orange, Brown, or Grey** Extra Firm or Medium Firm grades. It is best to cover these when not in use — to keep excess moisture off from rain, yet keep moisture in when dry. For most municipal and residential uses, we recommend the sandier **Soft Orange** grade, which does not need to be covered when not in use.

RECOMMENDATIONS FOR RESURFACING EXISTING HORSESHOE PITS WITH BEAM CLAY®

If resurfacing an existing Horseshoe Pit clay surface, scarify surface approximately 1/2" in depth and incorporate 1/2" of **Beam Clay®** Horseshoe Pit Clay into that surface to form a bonding layer of the two materials. Then apply 2" of **Beam Clay®** Horseshoe Pit Clay, wetting and compacting as above.

ALL PRICES SUBJECT TO CHANGE & AVAILABILITY

BEAM CLAY®

Horseshoe & Quoit Pits

HORSESHOE PITCH COURT LAYOUTS

RECOMMENDED AREA

Ground space is 1400 square feet, including clear space.

SIZE AND DIMENSION

Playing court is 10'x 50', plus a recommended 10' minimum unobstructed area on each end and a 5' minimum wide zone on each side.

ORIENTATION

Recommended orientation is for the long axis to be north-south.


SURFACE AND DRAINAGE

Surface of playing area, except for boxes and optional concrete walkways, should be turf. Area should be pitched to the side at a maximum slope of 2%. Elevation and slant of steel pegs should be between 2" and 3" and equal.


SPECIAL CONSIDERATIONS

Boxes are to be filled with **Beam Clay® Horseshoe Pit Mix**.
SAFETY: A 2' high backstop should be constructed at the end of the box to intercept overthrown or bounding shoes.

6' x 6' HORSESHOE PITCHING BOXES




3' X 4' HORSESHOE PITCHING BOXES



HORSESHOE PIT EDGING

PER 6' PIECE

4" High x 6' Long (28 lbs./piece, 99 pieces/pallet)	- Full Pallet	\$39
	- Partial Pallet	\$42
6" High x 6' Long (42 lbs./piece, 63 pieces/pallet)	- Full Pallet	\$51
	- Partial Pallet	\$59
8" High x 6' Long (56 lbs./piece, 45 pieces/pallet)	- Full Pallet	\$68
	- Partial Pallet	\$75



- More resilient than wood
- No warping or discoloring
- No splinters
- Non toxic
- Will not rot
- Stackable
- Interlocking
- Available in 6 ft lengths and 4", 6" and 8" heights
- No CCA or other harmful chemicals
- Easy to install with pre drilled holes
- Made from 100% recycled tires
- Flexible with rounded edges
- Will not breed ticks, termites or other insects
- Maintenance free
- Hardware & Caps included
- Neutral brown tone-compatible with any surface color

2 stakes and 2 caps are included with each curb

natural brown

bendable

stackable

interlocking

hardware included

ALL PRICES SUBJECT TO CHANGE & AVAILABILITY

HORSESHOE PIT EDGING

Product Specifications

Product Description:

1. Material: compression molded composite of the 100% recycled rubber and polyurethane Prepolymer
2. Physical properties of the rubber composite:
 - a) Density 0.6 oz/cu in (ASTM C642)
 - b) Durometer Hardness 65A \pm 7 (ASTM D2240)
 - c) Tensile Strength* minimum 125 psi (ASTM D412)
(* main structural areas)
 - d) Compression deformation 10% at 70psi, 68°F (ASTM D575)
 - e) Brittleness at Low temperature: -40°F (ASTM D746)
 - f) Freeze and thaw when exposed (ASTM C672)
to deicing chemicals no loss after 50 cycles
 - g) Coefficient of thermal expansion: 8×10^{-5} in/in/°F (ASTM C531)
 - h) Weathering 70 hours at 158°F (ASTM D573)
 - hardness retained 100% (\pm 5%)
 - compressive strength 100% (\pm 5%)
 - tensile strength 100% (\pm 5%)
 - elongation retained 100% (\pm 5%)
3. Available models:
 - a) 4"W x 4"H x72"L with weight of 28 lbs
 - b) 4"W x 6"H x72"L with weight of 45 lbs
 - c) 4"W x 8"H x72"L with weight of 65 lbs
4. Finishing color: dark brown

Installation methods:

- a) with 2 spikes 18" long x 3/8" diameter provided for each 4" high piece
- b) with 2 spikes 24" long x 3/8" diameter provided for each 6" high or 8" high piece

Note: The mounting holes can be closed after installation with the rubber plugs 1-1/8 diameter and 3/4" long, supplied with the product.

Components:

- a) 100% recycled rubber from car and truck tires (NR, SBR)
- b) polyurethane prepolymer for rubber granules
- c) brown pigment

ALL PRICES SUBJECT TO CHANGE & AVAILABILITY