PLAYGROUND SURFACING CATALOG



Playground/Safety™ Rubber Mulch Granules	2-9
Playground/Safety™ Playground Wear Mats	
Playground/Safety™ Rubber Curbing	11-12
Playground/Safety™ Tiles	13
Nu-Play Rubber Mulch Nuggets	
Rubberific Timber Edging	16-17
Rubberific Playground Mats	
Playground/Safety™ Wood Mulch	19
Playground White Beach Sands	
Playground Colored Sands	
Sandbox Covers	23-24
Jump Ropes and Speed Ropes	25
Playground Stencils	26-27

YOUR "ONE-STOP" SOURCE FOR AMERICA'S BASEBALL, SOFTBALL & SPORTS SURFACES & SUPPLIES!



PLAYGROUND/SAFETY" Rubber Mulch

An Amazing New Breakthrough in Playground Safety AVAILABLE IN:

Will Requ

Ipema Certified
Exceeds ASTM F1292-99
ADA Accessible F1951-99
Non-Toxic
Stays in Place
Will Not Breed or Attract Insects
Requires Minimum Maintenance
Quick Drying
Non-Staining
Reduces Dust and Mud
Will Not Rot or Mold
Guaranteed to Last a Lifetime

RED
GREEN
BLUE
BROWN
BLACK

Shock Absorption of a Fall

Playground Safety Rubber Mulch

Wood Chips

Double Shredded Bark Mulch

Engineered Wood Fiber

Fine Gravel


2.5" Rubber Mats

Sand

Medium Gravel



YOUR "ONE-STOP" SOURCE FOR AMERICA'S BASEBALL, SOFTBALL & SPORTS SURFACES & SUPPLIES!



YOUR "ONE-STOP" SOURCE FOR AMERICA'S BASEBALL, SOFTBALL & SPORTS SURFACES & SUPPLIES!



PLAYGROUND/SAFETY™ RUBBER MULCH GRANULES, F.O.B. NJ Plant

				ONE-TON		
		BULK PER TON		BULK BAGS		40 LB. BAGS
BLACK	RMG-B-BL	\$375	RMG-BB-BL	\$375	RMG-40#-BL	\$7.95
50/50	RMG-B-50	\$545	RMG-BB-50	\$545		_
COLORED	RMG-B-C	\$615	RMG-BB-C	\$615	RMG-40#-C	\$12.50

1 ton = 2.85 cubic yards, One 40 lb. Bag = 1.54 Cubic Feet 13 lbs. covers one square foot at a 6" depth prior to compaction = 12' Fall Height Protection If installing over natural ground, install over a landscape fabric to prevent weed growth.



Playground/Safety™ Rubber Mulch Granules provide the most shock absorption meet latest CPSC safety guidelines, and ASTM F-1951-08, and F-1292-04.

- ☑ Easy, long lasting & Beautiful!
- ☑ Non-toxic, odorless, minimizes dust on mud
- Stays in place & quick drying $\sqrt{}$
- Reduces maintenance, time & expense
- Not a food sourced for insects or termites
- ADA approved
- IPEMA Certified
- Non staining / Non abrasive $\sqrt{}$
- Will not freeze
- Will not rot or mold

PLAYGROUND/SAFETY™ SHREDDED RUBBER MULCH

BLACK, BROWN, RED - 27 LBS./BAG = 1.5 CU FT - UP TO 50 BAGS PER PALLET

\$17.50/BAG #RMS



Black





Brown

Red

FULL PALLET

PLAYGROUND/SAFETY™ WEARMATS


Wear Mats for high traffic areas; i.e. swings & slides.

Wear Mat — 38" X 23" X 1" Thick, 28 lbs., Beveled, Green #RWM-38X23

Slide Mat — 36" x 36" x 1.5" Thick, 55 lbs. Beveled, Black #RWM-36X36

Swing Mat — 60" x 40" x 1.5" Thick, 100 lbs., Beveled, Black #RWM-60X40

Access Mats for Beaches & Playgrounds — 36" x 60" x 2" Thick, 40 lbs. Interlocking Edge, Black (80 pieces/pallet) #RAM





PER PIECE	PER PIECE
\$47/PIECE	\$45/PIECE
1-79/PIECES	80/PIECES
\$97/PIECE	\$95/PIECE
1-55/PIECES	56/PIECES
\$180/PIECE	\$170/PIECE
1-25/PIECES	26/PIECES
\$98/PIECE	\$98/PIECE
1-79/PIECES	80/PIECES

YOUR "ONE-STOP" SOURCE FOR AMERICA'S BASEBALL, SOFTBALL & SPORTS SURFACES & SUPPLIES!

Playground/Safety™ Rubber Mulch Granules Installation Instructions

Site Preparation

Site Analysis

Prior to design of the playground, a certified engineer or landscape architect knowledgeable of area climate and topography should be consulted. The consultant must be familiar with updated versions of applicable ASTM standards, CPSC's *Handbook for Public Playground Safety*, and state and local codes.

Base Preparation

Intended installation area must be cleared of rocks, stumps and other debris, including wood mulch or other surface material. Pre-existing surface material impedes the safety performance of Playground/ Safety™ Rubber Mulch. It is not recommended to install Playground/Safety™ Rubber Mulch Granules

over asphalt

or concrete, as these surfaces severely compromise Playground/Safety™ Rubber Mulch's safety performance. Chemicals in asphalt also break down the coloring agent on Playground/Safety™ Rubber Mulch colored mulch.

Grade

Area must be properly graded according to intended playground level, and firmly compacted. For in-ground installation, area must be excavated to a minimum depth of 6". A proper drainage system should be in place as water tends to move towards the lowest point. We do not recommend a recessed installation unless proper drainage is installed.

Retaining Wall

Åbove-ground installation of Playground/Safety™ Rubber Mulch Granules requires a retaining wall.

Playground/

Safety™ Rubber Curbing, available in 6" and 8" heights, are strongly recommended. Specifications may be obtained from the manufacturer. Rubber Curbing effectively contain Playground/Safety™ Rubber Mulch, preventing excessive kick-out of material, thereby minimizing the need for replacement material in the future.

Filter Fabric

A quality geo-textile fabric, properly secured, may be installed beneath Playground/Safety™ Rubber Mulch to prevent weed growth and percolation of foreign materials. Filter fabric will "initially" prevent growth of weeds and grasses. Although the fabrics are permeable, they will collect debris and dirt and may actually promote growth over time. Fabric must be cut to fit tightly around all playground structures. All seams should be taped in order to prevent separation during installation and to prevent dirt or debris from mixing with the mulch. Filter fabrics are available in a variety of types, sizes and thicknesses. Individual specifications may be obtained from the manufacturer.

Drainage System

Excessive pooling of water can impair Playground/Safety™ Rubber Mulch's safety performance. To prevent this situation, a drainage system may be necessary. For manufactured drainage system, refer to manufacturer's installation instructions. If drainage stone is used beneath Playground/Safety™ Rubber Mulch, we suggest using a fabric. If it is placed over sand and compacted earth, the owner may opt to not use a filter fabric. For gravel drainage, gravel must be installed below the filter fabric directly beneath Playground/Safety™ Rubber Mulch.

YOUR "ONE-STOP" SOURCE FOR AMERICA'S BASEBALL, SOFTBALL & SPORTS SURFACES & SUPPLIES!

Playground/Safety™ Rubber Mulch Granules Installation Instructions continued

Quantity

Area Coverage

When calculating required amount of mulch, calculation should be based on poundage. Although other manufacturers recommend less, fourteen pounds of Playground/Safety™ Rubber Mulch Granules per square foot is the necessary amount to achieve 6" **prior to compaction** and a safe 12' critical fall height.

Depth

Playground/Safety™ Rubber Mulch Granules must be installed at a minimum depth of 6" / 14 pounds per square foot prior to compaction, in order to maintain safety standards. The critical fall height may allow for variation in the depth of the surface. Some areas may require greater depth, depending upon the height or risk level of playground equipment. Please contact your Playground/Safety™ Rubber Mulch Granules representative to see if lower depths of rubber mulch may meet your critical fall height needs. Manufacturer has test data to support your requirement.

Surface Area

Playground/Safety™ Rubber Mulch Granules must surround play equipment by a minimum use zone of six feet, with the exception of swings, slides and mobile equipment. Current safety guidelines from CPSC / ASTM must be reviewed for these playground fixtures and for periodic updates and / or changes.

Installation

Delivery

Playground/Safety™ Rubber Mulch Granules can be delivered in bulk, in one-ton bulk bags, or in 30 lb. bags. If space is adequate a dump truck/trailer may unload the material directly into the play area. Bulk bags or 30 lb. bags may be transferred to the play area by forklift, bobcat or wheelbarrow.

Colored Mulch

Depending on weather conditions, Playground/Safety™ colored rubber mulch may require two to three days after delivery to sufficiently dry and cure before installation.

Tools

Playground/Safety™ Rubber Mulch Granules may be spread on play area manually, with rake or shovel, or by machine for larger playgrounds. Installer must exercise care not to disturb the geo-textile filter fabric while spreading. A final hand-raking provides a smooth finished playground surface.

Rubber Wear Mats

Playground/Safety™ Rubber mats or equal are strongly recommended to be installed in high traffic areas, such as beneath swings and sliding poles, and at slide exits. The rubber mats are to be laid midway through the rubber mulch, as they minimize displacement of Playground/Safety™ Rubber Mulch. These mats may be used with any loose fill surfacing product. Playground/Safety™ Rubber Mulch Granules rubber wear mats should not be used alone. The maximum critical fall height for each mat is 3 feet. They should only be used in conjunction with Playground/Safety™ Rubber Mulch.

YOUR "ONE-STOP" SOURCE FOR AMERICA'S BASEBALL, SOFTBALL & SPORTS SURFACES & SUPPLIES!

Playground/Safety™ Rubber Mulch Granules Installation Instructions continued

Maintenance

Benchmark

Immediately following installation and inspection, the level of Playground/Safety™ Rubber Mulch Granules should be marked off on the playground equipment, using a permanent marker or the like. Especially in high traffic areas, Playground/Safety™ Rubber Mulch Granules requires periodic raking to restore the material to its safe and proper depth.

Aesthetic Care

Playground/Safety™ Rubber Mulch Granules may be cleared of foreign objects and debris using rake or leaf blower.

Warranty

Manufacturer guarantees the impact performance of Playground/Safety™ Rubber Mulch Granules for fifty years and provides an eight-year warranty against total color loss. Note: Failure to maintain appropriate depth, as determined according to the highest potential fall height, may void manufacturer warranty and cause permanent injury or harm

YOUR "ONE-STOP" SOURCE FOR AMERICA'S BASEBALL, SOFTBALL & SPORTS SURFACES & SUPPLIES!



Playground/Safety™ Rubber Mulch Granules

Specifications

Playground/Safety™ Rubber Mulch Granules is a unique, environment-friendly safety surface, manufactured from recycled automotive tires. Properly installed, Playground/Safety™ Rubber Mulch Granules provides an enjoyable play area that meets the guidelines set forth by the Consumer Product Safety Commission (CPSC), the American Standard for Testing Materials (ASTM), ADA and the International Playground Equipment Manufacturers Association (IPEMA).

Description

Composition

Playground/Safety™ Rubber Mulch Granules is composed of 100% recycled shredded rubber made from Whole passenger tires. Loose fiber and foreign materials have been systematically removed. Playground/ Safety™ Rubber Mulch is 99.9% free of steel content.

Toxicity

Playground/Safety™ Rubber Mulch Granules is organic, non-hazardous and non-toxic.

Appearance

Playground/Safety™ Rubber Mulch Granules is a loose-fill mixture of 3/8"-3/4" rubber granules and chunks, available in standard black or in a variety of colors.

Certifications

IPEMA certified

Almost twice as effective as other surfacing products, Playground/Safety™ Rubber Mulch Granules

exceeds ASTM Standard F1292-99 for impact attenuation. IPEMA has awarded Playground/Safety™ Rubber Mulch Granules with an independent certification for conformance to this standard. IPEMA works to promote an open market for its members and to increase the quality of children's play equipment and surfacing.

Flammability

Based on testing conducted by the "Scrap Tire Management Council", rubber mulch is non-flammable, in accordance with the Federal Hazardous Substance Act, 16 CFR 1500.44. A flammable substance ignites and burns with a self sustained flame at a rate that exceeds 0.1 inches per second along its major axis. Recycled rubber burns at a rate of <0.01 inches per second.

ADA compliant

Playground/Safety™ Rubber Mulch, installed at a non-compacted depth of 6" (14 pounds per sq. ft.), is handicap accessible, according to ASTM F1951-99, Standard Specification for Determination of Accessibility of Surface Systems Under and Around Playgrounds. Playground/Safety™ Rubber Mulch Granules must be compacted at 3" and again at 6" using a pneumatic tamper, Bobcat, or similar.

Handbook for Public Playground Safety

The Handbook, published by CPSC, ranks rubber mulch the safest surfacing material.

YOUR "ONE-STOP" SOURCE FOR AMERICA'S BASEBALL, SOFTBALL & SPORTS SURFACES & SUPPLIES!

Playground/Safety™ Rubber Mulch Granules FAQs

How is shock-absorption determined?

The U.S. Consumer Product Safety Commission, the U.S. Testing Company, and the State of Illinois, among numerous state and federal agencies, independent laboratories and licensed testing companies have conducted various tests designed to measure the shock-absorption of various surface materials as they relate to falling objects. Tire rubber chips have been shown to consistently absorb more shock impact than any other standard surface material. This is particularly important because more than 550,000 playground injuries end up in the emergency room every year. That is more than 1,500 visits per day. The majority of those injuries are attributed to falls. Therefore you can't afford to have anything less than the world's safest playground surface: Playground/Safety™ Rubber Mulch Granules.

Is there any steel content in Playground/Safety™ Rubber Mulch Granules?

No. Playground/Safety™ Rubber Mulch 1/2 inch granules are smaller than most others. The smaller the chips, the less likely they are to contain embedded steel wire. To ensure that all wire is removed, Playground/Safety™ Rubber Mulch Granules pass through 4 unique, state of the art magnets during the manufacturing process. This extra attention literally ensures no steel content. In fact, Playground/Safety™ Rubber Mulch Granules is guaranteed to be 99.9% steel-free.

Will Playground/Safety™ Rubber Mulch Granules crumble, disintegrate, or decompose?

No. Playground/Safety™ Rubber Mulch Granules are made from 100% tire rubber. All tires are made of vulcanized rubber. The vulcanizing process makes the rubber literally indestructible.

Is Playground/Safety™ Rubber Mulch Granules ever dusty or slippery?

No. In addition to promoting almost instantaneous drainage, Playground/Safety™ Rubber Mulch Granules retains small amounts of moisture, which is just enough to prevent the accumulation of dust and slipperiness.

How does Playground/Safety™ Rubber Mulch Granules compare with shredded sneakers?

Shredded sneakers contain pieces of leather, which become slippery when wet, and eventually rot and break down.

Does Playground/Safety™ Rubber Mulch Granules blow or wash away?

No. Playground/Safety™ Rubber Mulch Granules are too heavy to be significantly affected by normal high winds or heavy rains.

Does Playground/Safety™ Rubber Mulch Granules come in any color besides black?

Yes. For those who want to make a big visual impact, we offer colored Playground/Safety™ Rubber Mulch Granules to match play equipment or corporate colors at a reasonable price.

How durable is colored Playground/Safety™ Rubber Mulch?

The chips are no less durable than black Playground/Safety™ Rubber Mulch. The highly durable, non-toxic paint for the rubber, should not fade any faster than that of good quality house paint, and may very well last much longer.

How should the play area be prepared?

We recommend the area be prepared ahead of time by clearing the ground of rocks, stumps and other debris, then calculate an area that surrounds the play equipment of 6-8 feet (commonly referred to as the "use" or "fall zone"). We also recommend the use of Playground/Safety™ Rubber Curbing around the entire play area, which will contain the Playground/Safety™ Rubber Mulch, and a filter fabric beneath the rubber to prevent weed growth into the play area. Where Playground/Safety™ Rubber Mulch Granules is replacing some other surface material, it is best to remove the old surfacing material completely. Sand or pebbles, for example, will only work their way to the surface and minimize Playground/Safety™ Rubber Mulch Granules shockabsorption values, and reintroduce abrasiveness to the play area. Wood mulch or chips will continue to attract insects, etc. under the surface and will eventually decompose there as well.

What type of maintenance is required?

Occasional raking.

YOUR "ONE-STOP" SOURCE FOR AMERICA'S BASEBALL, SOFTBALL & SPORTS SURFACES & SUPPLIES!

Playground/Safety™ Rubber Mulch Granules FAQs continued

Is Playground/Safety™ Rubber Mulch Granules toxic?

No. Playground/Safety™ Rubber Mulch Granules is non-toxic (and in the case of colored surfacing chips, only non-toxic paints are used). The chips has no taste appeal, but if they should be accidentally swallowed, test reports show that the chips will simply pass through the digestive tracts of both humans and animals (Maryland Environmental Services, 1994). Will Playground/Safety™ Rubber Mulch Granules stain clothing or the area where it is installed? No. Unlike wood mulch or chips which can bleed when wet, Playground/Safety™ Rubber Mulch Granules does not stain. Do Playground/Safety™ Rubber Mulch Granules smell? No. Some odor may be present at the time of installation, but, similar to installing a new shower curtain, any odor will soon disappear.

Will the DEP (Department of Environmental Protection) bother property owners where Playground/Safety™ Rubber Mulch Granules is installed?

No. The DEP "strongly promotes the use of recycled products since it is essential to the long-term success of local and national recycling programs" and there are no special removal requirements associated with the closing of a play area that has used Playground/Safety™ Rubber Mulch Granules .

Will chips that find their way into clothing end up melting in a clothes dryer?

No. Tire rubber melts at approximately 500 degrees F. Clothes dryers operate at less than 100 degrees F.

What happens to leaves or branches that fall or blow onto Playground/Safety™ Rubber Mulch Granules surfaces?

Those that are not removed by lightly raking the surface will simply drain through the chips and decompose over time.

How does the cost of Playground/Safety™ Rubber Mulch Granules compare to other products?

Initially, Playground/Safety™ Rubber Mulch Granules may cost a little more than some other surfaces, however, Playground/Safety™ Rubber Mulch Granules only needs to be installed once. No annual upgrading or replacement is required. Furthermore, in comparison to wood mulch, Playground/ Safety™ Rubber Mulch Granules requires a maximum of six inches in depth, versus 12 inches for wood mulch.




YOUR "ONE-STOP" SOURCE FOR AMERICA'S BASEBALL, SOFTBALL & SPORTS SURFACES & SUPPLIES!



Playground Surfaces: Playground/Safety Rubber Curbing

RUBBER CURBING F.O.B. NJ Plant	STAKE SIZE	ITEM#	PER PIECE
4" High x 4" Wide x 6' Long (30 lbs./piece, up to 99 pieces/pallet)	18"	#RC-4X4X6	\$45
6" High x 4" Wide x 6' Long (45 lbs./piece, up to 63 pieces/pallet)	24"	#RC-6X4X6	\$77
8" High x 4" Wide x 6' Long (70 lbs./piece, up to 45 pieces/pallet)	24"	#RC-8X4X6	\$110
4" High x 3" Wide x 4' Long (13 lbs./piece, up to 140 pieces/pallet)	24"	#RC-4X3X4	\$28





Please note: The 4" wide sections are grooved and

can be stacked to create

are not grooved for

W curbing

stacking.

desired height,. However, the 3" W is not stackable. 3" W lengths of curbing

More resilient than wood

No warping or discoloring

No splinters

Non toxic

Will not rot

Stackable

Interlocking

Available in 4 ft lengths or 6 ft lengths in 4", 6" and 8" heights

No CCA or other harmful chemicals

Easy to install with pre drilled holes

Made from 100% recycled tires

Flexible with rounded edges

Will not breed ticks, termites or other insects

Maintenance free

Hardware & Caps included

Neutral brown tone-compatible with any surface color

PLASTIC CURBING BLACK F.O.B. NJ Plant

Steel Stake Included

6" High x 4" Wide x 52" Long (5 lbs./piece, up to 48 pieces/pallet)

12" High x 4" Wide x 52" Long (8.5 lbs./piece, up to 24 pieces/pallet)



STAKE SIZE 24"

ITEM# **PER PIECE** #PC-6X4X52 \$35

\$50

LANDSCAPE RUBBER BRICK BORDER BLACK, BROWN, GREY F.O.B. NJ Plant

Includes 3 Heavy - duty anchor stakes and 2 connecting pins

3" High x 3" Wide x 4' Long (7 lbs./piece, up to 140 pieces/pallet)



STAKE SIZE 24"

24"

ITEM# #LC-3X3X4

#PC-12X4X52

PER PIECE \$16

YOUR "ONE-STOP" SOURCE FOR AMERICA'S BASEBALL, SOFTBALL & SPORTS SURFACES & SUPPLIES!



Rubber Curbing For Playgrounds

Product Specifications

Product Description:

- 1. Material: compression molded composite of the 100% recycled rubber and polyurethane prepolymer
- Physical properties of the rubber composite:
 - a) Density 0.6 oz/cu in (ASTM C642)
 - b) Durometer Hardness $65A \pm 7$ (ASTM D2240)
 - c) Tensile Strength* minimum 125 psi (ASTM D412) (* main structural areas)
 - d) Compression deformation 10% at 70psi, 68°F (ASTM D575)
 - e) Brittleness at Low temperature: -40°F (ASTM D746)
 - f) Freeze and thaw when exposed (ASTM C672) to deicing chemicals no loss after 50 cycles
 - g) Coefficient of thermal expansion: 8 x10-₅ in/in/°F (ASTM C531)
 - h) Weathering 70 hours at 158°F (ASTM D573)
 - hardness retained 100% (± 5%)
 - compressive strength 100% (± 5%)
 - tensile strength 100% (± 5%)
 - elongation retained 100% (± 5%)
- 3. Available models:
 - aa) 4"W x 4"H x 72"L with weight of 30 lbs.
 - b) 4"W x 6"H x 72"L with weight of 45 lbs.
 - c) 4"W x 8"H x 72"L with weight of 70 lbs.
 - d) 3"W x 4"H x 72"L with weight of 20 lbs.
 - e) 3"W x 4"H x 48"L with weight of 13 lbs.
- Finishing color: dark brown

Installation methods:

- a) with 2 spikes 18" long x 3/8" diameter provided for each 4" high piece
- b) with 2 spikes 24" long x 3/8" diameter provided for each 6" high or 8" high piece

Note: The mounting holes can be closed after installation with the rubber plugs 1-1/8 diameter and 3/4" long, supplied with the product.

Components:

- a) 100% recycled rubber from car and truck tires (NR, SBR)
- b) polyurethane prepolymer for rubber granules
- c) brown pigment

YOUR "ONE-STOP" SOURCE FOR AMERICA'S BASEBALL, SOFTBALL & SPORTS SURFACES & SUPPLIES!



Playground Surfaces: Playground/Safety Tiles

PLAYGROUND/SAFETYTM ELEVATE TILE, F.O.B. NJ Plant

Ultra vibrant, brightly colored EPDM—Meets ASTM F-1951, ASTM F-1292, ASTM F-3012—pins and adhesive glue included

Made from a shock absorbing resilient rubber formula, **PLAYGROUND/SAFETY[™] TILE** has been designed as a cost-effective solution for all playground applications. Our interconnecting dowel system makes installation quick and simple over hard surfaces or a prepared stone base. Playsafer tiles looks great, provide excellent fall protection, are extremely durable and require no daily maintenance. Rubber playground tiles ensure a safe and fun time at the playground.

						<u>Units</u>		Fall height pro	otection over:
Elevate Tile 1"	PE1T	<u>Unit</u> <u>Price</u> \$18.50	<u>Size</u> (<u>L x W x H)</u> 20" x 20" x 1"	<u>Weight</u> 12 lbs.	<u>Color</u> Blue, Green, Brown	Per Pallet 180	SF Per Tile 2.7	Concrete 2.5'	Stone 4'
Elevate Edge 1"	PE1TE	\$7.50	20" x 2.75" x 1"	1.25 lbs.	Black		,		
Elevate Tile 2" Elevate Edge 2"	PE2T PE2TE	\$26.50 \$11	20" x 20" x 2" 20" x 5" x 2"	16.75 lbs. 4.5 lbs.	Blue, Green, Brown Black	120	2.7	4′	5′
Elevate Tile 2.75" Elevate Edge 2.75"	PE3T PE3TE	\$34 \$36	20" x 20" x 2.75" 40" x 7" x 2.75	20 lbs. 19 lbs.	Blue, Green, Brown Black	100	2.7	6′	8′





YOUR "ONE-STOP" SOURCE FOR AMERICA'S BASEBALL, SOFTBALL & SPORTS SURFACES & SUPPLIES!





NuPlay Nugget Rubber Mulch is the ideal groundcover if you are looking for beauty, safety and versatility. With a fall height rating more than 2X that of wood mulch, our 100% recycled rubber mulch is simply the safest playground surface available on the market. Our 12-year color guarantee makes NuPlay Nugget Rubber Mulch the ideal solution to the annual routine of replacing your tired and faded wood mulch. Your landscaping and play areas will look as good as the day you installed it for years to come.



Benefits:

- Made from 100% recycled tires
- Unsurpassed fall height rating (ASTM F1292)
- 12-year color guarantee
- Will not attract harmful insects
- Provides superior drainage
- Inhibits growth of molds and fungi, reducing allergy risk
- No more annual mulching
- Save time and money
- ADA accessible (ASTM F1951)

Applications:

- Parks and recreation departments
- City, state and federal parks
- Municipalities
- Schools and universities
- Military applications
- Golf courses
- Day care facilities
- Commercial landscaping
- Residential
- Walkways and paths

AVAILABLE MULCH COLORS











REDWOOD

EARTHTONE

CLASSIC BLACK

FOREST GREEN

CARRIBEAN BLUE

NuPlay™ RUBBER MULCH NUGGETS

Available from plants in FL, KY, MD, TX, UT, BC CANADA

ONE-TON-75CF BULK BAGS 40 LB. BAGS-1.5CF 50 PER PALLET (full pallets only) \$7.50

UNCOATED BLACK
COLORED

IMCUB-BB IMC(C)-BB \$375 \$615 IMCUB-40 IMC(C)-40

\$12.30

YOUR "ONE-STOP" SOURCE FOR AMERICA'S BASEBALL, SOFTBALL & SPORTS SURFACES & SUPPLIES!





Simply the Safest

Provides a soft surface to help keep children safe on the playground

Warrantied against fading for up to 12 years

IMC's most affordable rubber mulch groundcover for playgrounds and paths

grounds and paths
Maintains beauty even after
years of exposure to the elements
Five times heavier than wood
mulches, this rubber mulch will not
float, absorb water or erode during heavy rain and flooding
Does not attract termites, carpenter ants or other harmful insects
Available in Earthtone, Redwood,
Caribbean Blue, Forest Green,
Classic Black and a full palette of
custom colors

NuPlay Rubber Mulch Nuggets

NuPlay, made from 100% recycled rubber, is the perfect loose-fill rubber mulch groundcover for playgrounds and commercial landscaping applications. Rated as the safest groundcover on the market, NuPlay also provides superior drainage and minimizes dust, keeping children clean while at play.

Installation Guidelines for Playground

The ground area where the playground will lie should either be in location that will not hold water, or have slight grade to allow for proper drainage. In areas where drainage could be an issue; it is recommended to install a drain tile system, with a 3" base of pea gravel or rock to allow for proper drainage.

Heavy duty weed fabric should be installed under NuPlay Mulch to separate the mulch from what lies beneath. Depending on the size of the playground, it is recommended to use large rolls of weed fabric (12' width rolls) to minimize the number seams.

Use landscape stakes to stake down weed fabric seams and corners. Make sure the stakes are completely hammered down.

A border is recommended to enclose the playground to contain the mulch. It is

recommended to have a few inches between the top of the border and the top of the mulch.

It is recommended to loosely compact the mulch to either 3 or 6 inches to achieve the desired fall height rating.

Installation for Landscaping

Install NuPlay Mulch at a 2" depth.

It is not necessary, but recommended to install NuPlay Mulch over a permeable weed fabric. Using a weed fabric will increase coverage per bag/box and decrease risk of weeds. Also, using felt type weed fabric will help keep the mulch in place.

If installing NuPlay Mulch over existing mulch/soil, make sure the ground surface is a compacted material, free of debris and loose objects. NuPlay Mulch will look its best when not mixed in with other debris.

When installing NuPlay Mulch in mulch/plant beds, it is recommended that the beds have a border to help contain the mulch. The border can either be a raised border such as a poured concrete/brick border, or a dug border such as a 2" deep trench around the bed.

To clear leaves and other debris off the top of NuPlay Mulch, use a blower on a low setting. Since NuPlay Mulch is heavier than grass clippings and leaves, it will stay in place while the debris is blown away.

CRITICAL HEIGHTS OF TESTED MATERIALS OF 6" DEPTH

NuPlay		16 feet
Wood chips	7 feet	
Engineered wood fibers	6 feet	
Wood mulch	6 feet	ONAL PLAY
Double-shredded bark	6 feet	STUBLIC PLAY SURFACIAL PLANTS
Fine gravel	6 feet	IPEMA
Medium gravel	5 feet	CERTIFIED
Fine sand	5 feet	ASTM A
		TURERS ASSOC



YOUR "ONE-STOP" SOURCE FOR AMERICA'S BASEBALL, SOFTBALL & SPORTS SURFACES & SUPPLIES!

Playground Surfaces: Playground/Safety Rubber Curbing



RUBBERIFIC TIMBERS Choose: Earthtone, Redwood or Black

4" High x 4" Wide x 92" Long 6" High x 4" Wide x 92" Long 8" High x 6" Wide x 92" Long IMCRT448(C)


IMCRT648(C) IMCRT868(C) \$57 \$60

PER PIECE

\$105


YOUR "ONE-STOP" SOURCE FOR AMERICA'S BASEBALL, SOFTBALL & SPORTS SURFACES & SUPPLIES!

Playground Surfaces: Playground/Safety Rubber Curbing



Rubberific Timbers are the best border system option for all your landscaping and playground needs. These 92" long Rubberific Timbers come in heights of 4", 6" or 8". With the flexibility of rubber, it can form to virtually any edge desired. The top of the Rubberific Timber is rounded to provide extra safety when used


Installation instructions:





YOUR "ONE-STOP" SOURCE FOR AMERICA'S BASEBALL, SOFTBALL & SPORTS SURFACES & SUPPLIES!

Playground Surfaces: Playground/Safety Rubber Mats



RUBBERIFIC MATS

Choose: Black, Brown, Green, or Red,

32" Wide x 54" Long x 2" Thick with Beveled Edge

PER PIECE

IMCRM448(C)

\$105

YOUR "ONE-STOP" SOURCE FOR AMERICA'S BASEBALL, SOFTBALL & SPORTS SURFACES & SUPPLIES!



PLAYGROUND/SAFETYTM WOOD MULCH - All virgin hardwood, ground to order, from the heart of the tree, containing no bark (no poison ivy), no twigs, and no recyclable.

Delivered to NJ North of I-195.

80-100 CY Trailer loads	#PWM-NNJ-80-100	\$32/CY
50-79 CY Trailer loads	#PWM-NNJ-50-79	\$38/CY
30-49 CY Trailer loads	#PWM-NNJ-30-49	\$43/CY
16-29 CY Trailer loads	#PWM-NNJ-16-29	\$57/CY
10-15 CY Trailer loads	#PWM-NNJ-10-15	\$68/CY

Delivered to NJ South of I-195

80-100 CY Trailer loads	#PWM-SNJ-80-100	\$35/CY
Smaller Quantities	PWM-SNJ-LTFT	CALL

Delivered to NY to Orange, Dutchess, Rockland, or Westchester Counties

80-100 CY Trailer loads	#PWM-NY-80-100	\$32/CY
50-79 CY Trailer loads	#PWM-NY-50-79	\$38/CY

Delivered to CT to Fairfield County

80-100 CY Trailer loads	#PWM-CT-80-100	\$33/CY
50-79 CY Trailer loads	#PWM-CT-50-79	\$39/CY

PLAYGROUND/SAFETY™ WOOD MULCH

SPECIFICATIONS

Shock absorbing properties in accordance with the procedures outlined in ASTM F-1292-99, F-355 -95 and Procedure C, "Standard Specification for Impact Attenuation of Surface Systems Under and Around Playground Equipment.

Handicapped accessible as per ASTM F-1951-99. Determination of Accessibility of Surface System Under and Around Playground Equipment.

Meets American with Disabilities Act (ADA) requirements.

Meets federal guidelines for playground safety surface.

- *We have a NRPA Certified Safety Inspector on our staff who can visit your site for a fee to:
- 1) Inspect your playgrounds,
- 2) Advise you as to whether they are in compliance with Safety Rules,
- If not, provide you with a quote for the required amount of Playground Safety Wood Mulch delivered & installed.
- 4) If we install, provide you with a certificate of Safety Inspection for compliance with Federal & State Safety Regulations.



YOUR "ONE-STOP" SOURCE FOR AMERICA'S BASEBALL, SOFTBALL & SPORTS SURFACES & SUPPLIES!

Most Popular



Playground Surfaces: White Sands

WHITE BEACH SANDS

TO GET APPROX PRICE/CU. YD.	BIII K DED TON		PER 50 LB. BAG
MULTIPLY BY 1.2	BOLK PER TON		BAG
WM-S IRII	\$25		<u>_</u>
	·		_
	722		
WM-DS-NJBU	\$60	WM-DS-NJBAG	\$6.50
0mm			
WM-HT-NJBU	\$95	WM-HT-NJBAG	\$9
WF-SJBU	\$60		_
WVF-SJBU	\$28		_
	\$60	XWF-NJBAG	\$6
WEF-SJBU	\$30		_
WMF-SJBU	\$28		
WMC-SJBU	\$37		_
SW-MC-MARII	0.0 2		PER 3,000 LB/ BULK BAG
	Ψ30		DOLK DAG
10070 passing zinin	\$130		\$510
WHT3050-SJBU	10 ton minimum	WHT3050-SJBB	5 pallet minimum
, predominantly .5—1mm, 1	00% passing 2mm		
	\$140		\$525
			5 pallet minimum
proximately 90% between .2	25mm—1mm, predomina	ntly .5—1mm, 100% passing .	2mm
WHT1860-SJBU	\$82	WHT1860-SJBB	\$235
m, predominantly .25—1mm	n, 100% passing 2mm		
WHT18100-SJBU	\$62.50	WHT18100-SJBB	\$205
	V 7 - 2 2		, , , ,
	¢77 E0	WUT2ETO CIDD	¢205
	• • • • • • • • • • • • • • • • • • • •	MU19910-970B	\$205
п, ргечинитаниу .20—.этт	ii, 100% passiiiy 2111111		
WHT35100-SJBU	\$63	WHT35100-SJBB	\$206
m, predominantly .25—.5mr	m, 100% passing 2mm		
	¢125		\$515
WHT40100-SJBU	10 ton minimum	WHT40100-SJBB	5 pallet minimum
	WM-HT-NJBU WF-SJBU WF-SJBU WF-SJBU WMF-SJBU WMC-SJBU SW-MC-MABU 100% passing 2mm WHT3050-SJBU predominantly .5—1mm, 1 WHT2040-SJBU TOWN PASSING .5mm WHT18100-SJBU TOWN predominantly .25—1mm WHT3570-SJBU TOWN predominantly .25—.5mm WHT35100-SJBU TOWN predominantly .25—.5mm WHT35100-SJBU TOWN predominantly .25—.5mm	WM-SJBU \$25	WM-SJBU \$25 WM-NJBU \$55 WM-DS-NJBAG WM-DS-NJBU \$60 WM-DS-NJBAG WM-HT-NJBU \$95 WM-HT-NJBAG WF-SJBU \$60 WW-DS-NJBAG WF-SJBU \$60 WWF-SJBU \$28 \$60 XWF-NJBAG WF-SJBU \$30 WMF-SJBU \$37 SW-MC-MABU \$90 \$100% passing 2mm WHT3050-SJBU \$140 WHT2040-SJBB \$140 WHT2040-SJBB \$140 WHT2040-SJBB \$140 WHT2040-SJBB \$140 WHT1860-SJBU \$82 WHT1860-SJBB \$140 WHT1860-SJBU \$82 WHT1860-SJBB \$140 WHT1870-SJBB \$140 WHT18700-SJBB \$140 WHT18700-SJBB










N. JERSEY PLANT: PALLET CHARGE - \$10.50/PALLET, UP TO 50 BAGS/PALLET. #NJ-PALLET S. JERSEY PLANT: PALLET INCLUDED IN PRICE = 1 BULK BAG/PALLET

YOUR "ONE-STOP" SOURCE FOR AMERICA'S BASEBALL, SOFTBALL & SPORTS SURFACES & SUPPLIES!

Playground Surfaces: Colored Sands

PARTAC® COLORED SANDS

Ceramically & Permanently Colored in 21 Colors: Green, Red, BCM Blue, 787 Blue, Navy, Yellow, OSHA Yellow, Teak, Teal, Blue/Grey, Black, Grey, White, Light Beige, Buff, Tan, Camel, Chocolate, Walnut, Smoke, Peach, and 7 Premium Colors: (add \$4/bag): Burgundy, Fiesta Red, Grape, Hunter Green, Light Rose, Orange, Plum. (See Full Color Chart on next page.) Blends of colors add \$4/bag. 10% overage possible. 8 bag minimum. Custom colors and blends available. For UV-resistant color (recommended for artificial turf applications), add \$2.50/bag. Also available in one-ton bulk bags. Same price per ton as in 50 lb. bags. Premium colors: 120 bag minimum if not in stock.




		<u>IL PLANT</u>
Fine 40/100 mesh (.1542mm), predominately 70 mesh (.21mm) <i>1 Color</i>	IL-R40-100S	\$24.95
Medium 30/50 mesh (.36mm), predominately 40 mesh (.42mm) 1 Color	IL-R30-50S	\$24.95
Medium Coarse 20/40 mesh (.4284mm), predominately 30 mesh (.59mm) 1 Color	IL-SA20-40-S	\$27.95
Coarse: 9/60 mesh (.25-2mm), predominately 16-30 mesh (.59-1.2mm) Dark Green or Red—NJ Plant	GS-HG-C-NJ-BG GS-R-C-NJ-BG	\$15 \$15
Medium Plus 16/40 mesh (.42-1.2mm), predominately 20 mesh (.84mm) 1 Color	IL-SA16-40S	\$30.95
Medium Extra 12/30 mesh (.59-1.7mm), predominately 16 mesh (1.2mm) 1 Color	IL-12-30S	Call for Price
Extra-Large (3-4mm) 1 Color	IL-3-4S	\$39.95

PALLET & COVER CHARGES - \$10.50/PALLET FROM NJ. UP TO 50 BAGS/PALLET. #NJ-PALLET PALLET & COVER CHARGES - \$8/PALLET FROM IL. UP TO 50 BAGS/PALLET. #IL-PALLET

YOUR "ONE-STOP" SOURCE FOR AMERICA'S BASEBALL, SOFTBALL & SPORTS SURFACES & SUPPLIES!

Playground Colored Sands



\$5.05/SF

\$5/SF



WIND WEIGHTED SANDBOX COVERS WITH CHAIN SEWN INTO HEMS—NO NEED FOR SAND BAGS OR STAKES!

One of the best ways to keep bugs and debris out of a sandbox is to keep it covered when the kids aren't digging. In addition to keeping bugs out, a cover will protect the sandbox from the rain, which can lead to moisture build up that attracts mosquitoes, ants and more. Covering the box will also keep the neighborhood cats out.

SANDBOX MAINTENANCE:

Churn the Sand

Regularly turning the sand will keep it fresh and disturb any bugs that have decided to burrow down beneath the surface. Churning the sand often will dissuade bugs from staying in the sand and help you find any that are in the box before they find your kids.

Cinnamon is a natural bug repellent that's safe to use around kids. Sprinkle a whole lot of cinnamon into the sand and mix it very well. Repeat this process on a regular basis to keep most bugs from getting in the sandbox.

Tend to the Weeds

If you have a homemade sandbox with sand that sits directly on top of the ground, take the time to weed the area. The more vegetation there is in and around the sandbox the more likely it is that bugs will find a way inside.

Refresh the Sand

You'll want to regularly toss the old sand and replace it with some that's fresh. If you've already got a sandbox bug infestation removing the old sand is definitely something you want to do.

Use Non-toxic bug Repellent Around the Perimeter

A good way to protect the inside of the sandbox is to repel bugs before they even get to it. Use a non-toxic repellent all around the edge of the sandbox. You can also try sprinkling cornstarch around the sandbox to keep ants out.

No Food Rule

Make it a strict rule that there is never to be any food in the sandbox. Dropping delicious crumbs into the sand is the quickest way to attract

How much sand do I need?

You will need approximately 8 lbs. of sand for every: 1' W x 1' L x 1" D.

White Beach / Playground Sand - Medium

North Jersey Plant—Double Screened **#WM-DS-NJBAG**

\$6.50/50 LB. BAG

White Beach Sand / Playground Sand - Medium

Washed, Screened & **HEAT-TREATED** (Sterilized) North Jersey Plant **#WM-HT-NJBAG**

\$9/50 LB. BAG



VIPOL® SANDBOX COVERS- CHAIN PERIMETER #SANDBOXXVIPOL

10 oz./sy Vipol® Matrix Material, a super-durable mesh fabric of tightly woven vinyl coated micro-fibers let's rain pass through the cover—keeps larger debris like leaves and twigs out.

VINYL SANDBOX COVERS- CHAIN PERIMETER **#SANDBOXXVINYL**

Industrial 18 oz./sy solid vinyl-polyester fabric with UV and mildew inhibitors—keeps rain out!



IF YOU ARE TRYING TO MATCH A SPECIFIC COLOR, PLEASE REQUEST A SAMPLE FROM THE CURRENT STOCK AVAILABLE FOR PRODUCTION

18 OZ. VINYL COLOR CHART								
White	Grey	Beige/Tan	Black	Maroon	Red	Orange	Yellow/Gold	
Kelly Green	Midnight Green	Medium Green	Navy	Royal Blue	CC Sky Blue	Purple	Vegas Gold	Sport Grey


ACTUAL COLOR OF MATERIALS MAY VARY FROM EACH "LOT" / "RUN". IF YOU ARE TRYING TO MATCH A SPECIFIC COLOR, PLEASE REQUEST A SAMPLE FROM THE CURRENT STOCK AVAILABLE FOR PRODUCTION.

YOUR "ONE-STOP" SOURCE FOR AMERICA'S BASEBALL, SOFTBALL & SPORTS SURFACES & SUPPLIES!



Aer-Flo VINYL SANDBOX COVERS

For Help in Keeping Sandboxes Clear of Debris



SPECIFICATIONS:

Vinyl Covering: 10 oz./sq. yd. <u>MESH</u> or 18oz./sq. yd. <u>SOLID</u> vinyl compounded with UV Inhibitors and Mold Inhibitors. Mesh available in 23 colors. Solid in 17 colors.

Steel chain sewn into hems to keep wind from blowing cover off sandbox. 1/4" galvanized steel chain weighs 65 lbs./100 ft. making the average weight / ballast of each pocket 4-8 lbs. (depending on the size of the cover).

Attachment: Cover made per customers measurements to fit perimeter of box. Overhang / drop to hold cover in place.

VIPOL® MATRIX COLOR CHART

White	Grey	Beige/Tan	Brown	Black	Maroon	Scarlet	Red	Burnt Orange	Orange	Vegas Gold	
Gold	Yellow	Aqua	Kelly Green	Forest Green	Midnight Green	Navy	ProBlue	Royal Blue	CC Sky Blue	Purple	Sport Grey

ACTUAL COLOR OF MATERIALS MAY VARY FROM EACH "LOT" / "RUN".

IF YOU ARE TRYING TO MATCH A SPECIFIC COLOR, PLEASE REQUEST A SAMPLE FROM THE CURRENT STOCK AVAILABLE FOR PRODUCTION.

18 OZ. VINYL COLOR CHART


White	Grey	Beige/Tan	Black	Maroon	Red	Orange	Yellow/Gold	
Kelly Green	Midnight Green	Medium Green	Navy	Royal Blue	CC Sky Blue	Purple	Vegas Gold	Sport Grey

ACTUAL COLOR OF MATERIALS MAY VARY FROM EACH "LOT" / "RUN".

IF YOU ARE TRYING TO MATCH A SPECIFIC COLOR, PLEASE REQUEST A SAMPLE FROM THE CURRENT STOCK AVAILABLE FOR PRODUCTION.

YOUR "ONE-STOP" SOURCE FOR AMERICA'S BASEBALL, SOFTBALL & SPORTS SURFACES & SUPPLIES!





PLASTIC SEGMENTED JUMP ROPES

A216	16' RED/KELLY	\$3.70/EA
A210	10' RED/BLUE	\$2.75/EA
A209	9' RED/WHITE/BLUE	\$2.55/EA
A208	8' BLUE/WHITE	\$2.40/EA
A207	7' RED/WHITE	\$2.25/EA
A206	6' GREEN/WHITE	\$2.10/EA

Heavy braided nylon rope High-impact molded handles



SPEED ROPES

A246	16' BLK/RED	\$2.90/EA
A240	10' PURPLE/RED	\$2.10/EA
A239	9' RED/RED	\$2.00/EA
A238	8' BLUE/RED	\$1.90/EA
A237	7' RED/GREEN	\$1.75/EA

Tough PVC rope

High-impact molded handles




PROFESSIONAL SPEED ROPE

A260	10′	\$6.45/EA
A259	9'	\$6.45/EA
A258	8′	\$6.45/EA
A257	7′	\$6.45/EA

Contoured handle with steel ball bearing Rubberized speed rope

A service charge of \$15 shall be added to all orders of less than \$200. #CHSC

YOUR "ONE-STOP" SOURCE FOR AMERICA'S BASEBALL, SOFTBALL & SPORTS SURFACES & SUPPLIES!









YOUR "ONE-STOP" SOURCE FOR AMERICA'S BASEBALL, SOFTBALL & SPORTS SURFACES & SUPPLIES!



Playground Stencils - Newstripe PolyTough™



Newstripe's **PolyTough** 1/8" thick stencils are simply the best stencils available and manufactured to be used thousands of times. In fact, they are the only stencils backed with a **LIFETIME WARRANTY**. If they crack, break or tear for any reason Newstripe will gladly replace them free.

Newstripe **PolyTough** stencils are easy to use. Their heavy weight and flexible characteristics allow them to conform to any surface, smooth or rough. Plus cleanup is a snap. When the paint dries it simply flakes off.

Playground Stencils — Newstripe's playground stencils can keep your playground safe and attractively marked. **HOPSCOTCH**, **SHUFFLE BOARD**, **BASKETBALL** and **USA MAPS** are available.

Custom Stencils - Mascots, logos, multicolor, non-English wording..... whatever your special stencil needs are, Newstripe's Custom Stencil Department can fill it. Plus it is quick and easy. Just mail or email your artwork to us and Newstripe will digitally reproduce it in stencil format and cut it using the latest computer technology.

SHUFFLE BOARD Stencil #10001729 6' x 10.5' 3 piece Triangle	\$365	All Lines 1* /10 [10] [8 9]
HOPSCOTCH Stencil, Arched #10000448 101.5" x 38.5", 2 piece	\$195	7 5 6
HOPSCOTCH Stencil, Traditional #10003336 106" x 31", 2 piece	\$195	7 7 7 2 3 2 3 1 2 3 1 1 2 1 1 2 1 3 1 1 2 1 1 2 1 3 1 1 2 1 1 2 1 1 3 1 1 2 1 1 2 1 1 2 1 3 1 1 2 1 1 2 1 1 2 1 1 2 1 1 3 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 3 1 1 1 1
ACCESSIBLE PLAYGROUND HOPSCOTCH Stencil #10003510, 6 piece	\$765	
NCAA BASKETBALL COURT #10003330. Basketball court stencils, 3-point line and center circle, each stencil does 1/2 of area to be painted	\$655	T → T T T T T T T T
#10003145. 4 piece, Lane markers, foul line & key #10003323. 19.9 foot 3-Point Line, 4 pieces #10003149. 6' center circle, 2 pieces	\$323 \$310 \$130	Tr 19" and line 2" Outside
US MAP, Small #10001728. Continental US 7' h x 12' w. Overall size 10' h x 17' w. 5 coded pieces	\$625	PART MARBER 1000/UT, LARGE US MAP STENCE SET (20 PECES 280 USG, SHPRED IN 3 ROLES)
US MAP, Medium #10003676. Continental US 12' h x 20.6' w. Overall size 17'h x 29'w. 12 coded pieces	\$1,390	CO PROCES AND COLOR OF PROCESS
US MAP, Large #10001727. Continental US 20' h x 32' w. Overall size 35 'h x 45' w. 20 coded pieces	\$2,475	
Four Square—8' Butterfly, 2 pieces #10004972	\$375	SC -
Four Square 8' Lady Bug, 2 pieces #10004973	\$375	4 3
Four Square—Large 16', 12 pieces #10003296	\$310	- Tuber
Four Square—Large 8', 3 pieces #10001726	\$280	4 3
Snail Hopscotch, 2 pieces #10003386	\$310	2 1
		THE LIMIT OF THE STATE OF THE S

YOUR "ONE-STOP" SOURCE FOR AMERICA'S BASEBALL, SOFTBALL & SPORTS SURFACES & SUPPLIES!