## Water Hoses & Cart

Hose Reel Carts	Page(s)
Hoses	
Quick Coupler, Valve & Brass Hose Swivel	
Nozzles	3



YOUR "ONE-STOP" SOURCE FOR AMERICA'S BASEBALL, SOFTBALL & SPORTS SURFACES & SUPPLIES!

PRICES SUBJECT TO CHANGE & AVAILABILITY PLUS SHIPPING | VOLUME DISCOUNTS AVAILABLE | COOPERATIVE PURCHASING CONTRACT PRICING FOR 50 STATES



#### **ENDURO HOSE REEL**

Transport, store, and operate your heavy water hoses with ease. Large 16" wheels transport well over rough turf, ruts, curbs, etc. Hose reel holds up to 150' of 1" diameter hose. Includes large front crank handle for retrieving hose after use. Includes 6' long supply hose with 1" hose fitting.

#### **ENDURO HOSE REEL**

Includes 6' supply hose. Does not include 150' Water Hose and Pro Spray Nozzle.

MSHREEL2 (Wt. 65 lbs.)

## **ENDURO HOSE REEL—COMPLETE KIT**

Includes 6' supply hose, 1" x100' Red Water Hose (#11474) and Pro Spray Nozzle (1237108).

**1275186** (Wt. 105 lbs.)



\$525

\$585

\$182







#### **HEAVY DUTY HOSE CART**

- Holds Over 100 Feet of 1" Hose or 125 Feet of 3/4" Hose (sold separately)
- Heavy Duty Hand Truck Frame Easily Maneuvers Hose On and Off the Field
- Solid Rubber Wheels Never Go Flat and Heavy Duty Bearings to Ensure Durability
- Quick Coupler Key Holder Keeps Quick Coupler Key Out of the Way and Accessible
- Includes a 10 Foot Ultramax Blue Leader Hose
- Tool Box Available as Optional Add-On
- Available in 1" or 3/4" Hose Versions

**#HOSECART1** 1" Hose **\$1,075** 

**#HOSEBOX** Hose Cart Tool Box











#### 1" CLEAR REINFORCED FIELD HOSE

Non-Marking Clear Tube & Cover Ozone Resistant Light-weight One-piece Lengths TEMPERATURE: -20 F (-4 C) to + 150 F (+65 C) continuous service CONSTRUCTION: Tube: PVC Reinforcement: High Tensile Strength Textile Cord Cover: PVC 1" ID Coupled with 1" NPSH Male x Female - swivel

 BCFH50
 Clear 1" x 50'
 \$245

 BCFH100
 Clear 1" x 100'
 \$355

#### 1" RTW GREEN FIELD HOSE

Flex RT - Thermoplastic water hose with the look and feel of rubber hose at a fraction of the cost! TEMPERATURE: -15 F (-26 C) to + 150 F (+65 C) continuous service CONSTRUCTION: Tube: Specially Formulated, PVC Compound Reinforcement: High Tensile Strength Textile Cord Cover: Specially Formulated, PVC Compound 1" ID Coupled with 1" NPSH Male x Female - swivel

 BPFH50
 Green 1" x 50'
 \$245

 BPFH100
 Green 1" x 100'
 \$405

YOUR "ONE-STOP" SOURCE FOR AMERICA'S BASEBALL, SOFTBALL & SPORTS SURFACES & SUPPLIES!

PRICES SUBJECT TO CHANGE & AVAILABILITY PLUS SHIPPING | VOLUME DISCOUNTS AVAILABLE | COOPERATIVE PURCHASING CONTRACT PRICING FOR 50 STATES



## QUICK COUPLER KEY

Solid Brass Quick Coupler Key, 1-Inch MPT x 3/4-Inch FPT Outlet

**BQUICKEY** 

\$85

#### QUICK COUPLER VALVE

1" Two-Piece, Single Slot, Red Brass Quick Coupler w/ Yellow Rubber Cover

**BQUICKV** 

\$95




Made of solid brass. 1-inch FPT x 1-inch MHT outlet. 1-inch threaded quick connector.

**BSWIVELB** 

\$75







Delivers steady, maximum volume fog, jet stream and fan patterns. 15-40 gallons per minute (GPM). Recommended for commercial use with higher pressure 70+ psi needed; Not recommended for residential use Firefighter quality nozzle is made of aircraft aluminum, stainless steel and TPR rubber.

**BPNUEP** 

\$77.95



## MAGNUM ULTRAMAX PREMIUM 1" NOZZLE

15-40 gallons per minute (GPM). Recommended for commercial use with higher pressure 70+ psi needed; *Not recommended for residential use* Firefighter quality nozzle is made of aircraft aluminum, stainless steel and TPR rubber.

**BPNUP** 

\$97.95



# SOLID METAL MAGNUM HOSE NOZZLE, 3/4-INCH HOSE THREAD INLET

Magnum 3/4" Variable flow nozzle. Ratchet mechanism prevents over-tightening damage. Fire hose quality; Feels great in your hands & withstands any abuse. 37 GPM flow at 80 psi Multi-pattern sprays: jet, soak and fan.

**BPNMAG** 

\$68.95

YOUR "ONE-STOP" SOURCE FOR AMERICA'S BASEBALL, SOFTBALL & SPORTS SURFACES & SUPPLIES!

PRICES SUBJECT TO CHANGE & AVAILABILITY PLUS SHIPPING | VOLUME DISCOUNTS AVAILABLE | COOPERATIVE PURCHASING CONTRACT PRICING FOR 50 STATES