

VOLLEYBALL CATALOG

	PAGE(S)
Volleyball Surfaces	2
Court Layout	3
Court Curbing	4-5



BEAM CLAY®

Volleyball

WHOLESALE PRICE LIST
EFFECTIVE: JANUARY 1, 2018**VOLLEYBALL SURFACES****BULK PER TON****PER 50 LB. BAG****WHITE BEACH SAND FOR VOLLEYBALL COURTS**

Washed, Screened Silica Sands.

TO GET APPROX
PRICE/CU. YD.
MULTIPLY BY 1.2

	<u>BULK PER TON</u>	<u>PER 50 LB. BAG</u>
White / Extra Fine <i>South Jersey Plant</i>	\$30	—
Extra White / Fine <i>South Jersey Plant</i>	\$30	—
<i>North Jersey Plant</i>	\$47	\$5
White / Medium <i>South Jersey Plant</i>	\$29	—
<i>North Jersey Plant</i>	\$42	—
White / Medium—Double Screened <i>North Jersey Plant</i>	\$45	\$4.95
White / Medium / Heat-Treated <i>North Jersey Plant</i>	\$58	\$5.25
White / Plus Fine <i>South Jersey Plant</i>	\$33	—
Dark / Extra Fine <i>South Jersey Plant</i>	\$40	—
Extra White / Super Fine <i>South Jersey Plant</i>	\$55	—
White / 18/50 <i>South Jersey Plant</i>	\$60	—
White / 20/40 <i>South Jersey Plant</i>	\$65	—
White / Heat Treated - 18/50 <i>South Jersey Plant</i>	\$75	—
White / Heat Treated - 40/100** <i>South Jersey Plant</i>	\$95	—
<i>North Jersey Plant</i>	—	\$6.15
White / Heat Treated - 30/50** <i>South Jersey Plant</i>	\$90	—
<i>North Jersey Plant</i>	—	\$5.95
White / Heat Treated - 20/40** <i>South Jersey Plant</i>	\$95	\$6.15

**40/100, 30/50, 20/40 bags only available in full 3,000 lb. pallets. Also available in 100 lb. bags and 3,000 lb. bulk bags.

PALLET & COVER CHARGE: \$6.50 PER PALLET



ALL PRICES SUBJECT TO CHANGE & AVAILABILITY

PARTAC PEAT CORPORATION
ONE KELSEY PARK, GREAT MEADOWS, NEW JERSEY 07838800-247-BEAM (2326) • (908) 637-4191 • FAX (908) 637-8421
www.beamclay.com • sales@partac.com

Volleyball

VOLLEYBALL COURT LAYOUT

NAME OF SPORTS ORGANIZATION

United States Volleyball Association

RECOMMENDED AREA

Ground space is 4,000 square feet.

SIZE AND DIMENSION



Playing court is 30' x 60' plus 6' minimum, 10' preferred, unobstructed space on all sides.

ORIENTATION

Preferred orientation is for the long axis to be north/south.

SURFACE AND DRAINAGE

Recommended surface for intensive use is to be bituminous material or concrete, but sand-clay or turf may be used for informal play. Drainage is to be end to end, side to side or corner to corner at a minimum slope of 1" in 10'.



NOTES

ALL MEASUREMENTS FOR COURT MARKINGS ARE TO THE OUTSIDE OF LINES EXCEPT FOR THE CENTER LINE.

ALL COURT MARKINGS TO BE 2" WIDE EXCEPT AS NOTED.

NET HEIGHT AT CENTER

- MEN 8'-0"
- WOMEN 7'-4-1/4"
- HIGH SCHOOL 7'-0"
- ELEMENTARY SCHOOL 6'-6"

ALL PRICES SUBJECT TO CHANGE & AVAILABILITY

BEAM CLAY®

Volleyball

WHOLESALE PRICE LIST
EFFECTIVE: JANUARY 1, 2018

VOLLEYBALL RUBBER CURBING

PER PIECE

4" High x 3" Wide x 6' Long (30 lbs./piece, up to 100 pieces/pallet)

\$30

6" High x 4" Wide x 6' Long (45 lbs./piece, up to 63 pieces/pallet)

\$55



8" High x 4" Wide x 6' Long (70 lbs./piece, up to 45 pieces/pallet)

\$72

4" High x 3" Wide x 4' Long (14 lbs./piece, up to 140 pieces/pallet)

\$20

Please note: The 6' lengths are grooved and can be stacked to create desired height,. However, while the 4" H x 3" W is stackable, it is not stackable on 6"H x 4" W or 8"H x 4" W only stackable on its own 4"H x 3" W. The 4' lengths of curbing are not compatible with our 6 foot long curbs and are not grooved for stacking.



- More resilient than wood
- No warping or discoloring
- No splinters
- Non toxic
- Will not rot
- Stackable
- Interlocking
- Available in 4 ft lengths and 4" or 6 ft lengths and 4", 6" and 8" heights
- No CCA or other harmful chemicals
- Easy to install with pre drilled holes
- Made from 100% recycled tires
- Flexible with rounded edges
- Will not breed ticks, termites or other insects
- Maintenance free
- Hardware & Caps included
- Neutral brown tone-compatible with any surface color

2 stakes and 2 caps are included with each curb



natural brown bendable stackable interlocking hardware included

ALL PRICES SUBJECT TO CHANGE & AVAILABILITY

BEAM CLAY®

Volleyball

Rubber Curbing For Volleyball Courts

Product Specifications

Product Description:

1. Material: compression molded composite of the 100% recycled rubber and polyurethane Prepolymer
2. Physical properties of the rubber composite:
 - a) Density 0.6 oz/cu in (ASTM C642)
 - b) Durometer Hardness 65A ± 7 (ASTM D2240)
 - c) Tensile Strength* minimum 125 psi (ASTM D412)
(* main structural areas)
 - d) Compression deformation 10% at 70psi, 68°F (ASTM D575)
 - e) Brittleness at Low temperature: -40°F (ASTM D746)
 - f) Freeze and thaw when exposed (ASTM C672)
to deicing chemicals no loss after 50 cycles
 - g) Coefficient of thermal expansion: 8×10^{-5} in/in/°F (ASTM C531)
 - h) Weathering 70 hours at 158°F (ASTM D573)
 - hardness retained 100% (± 5%)
 - compressive strength 100% (± 5%)
 - tensile strength 100% (± 5%)
 - elongation retained 100% (± 5%)
3. Available models:
 - a) 3"W x 4"H x 72"L with weight of 23 lbs.
 - b) 4"W x 6"H x 72"L with weight of 45 lbs.
 - c) 4"W x 8"H x 72"L with weight of 70 lbs.
 - c) 3"W x 4"H x 48"L with weight of 14 lbs.
4. Finishing color: dark brown

Installation methods:

- a) with 2 spikes 18" long x 3/8" diameter provided for each 4" high piece
- b) with 2 spikes 24" long x 3/8" diameter provided for each 6" high or 8" high piece

Note: The mounting holes can be closed after installation with the rubber plugs 1-1/8" diameter and 3/4" long, supplied with the product.

Components:

- a) 100% recycled rubber from car and truck tires (NR, SBR)
- b) polyurethane prepolymer for rubber granules
- c) brown pigment

ALL PRICES SUBJECT TO CHANGE & AVAILABILITY